

PW0-105^{Q&As}

Certified Wireless Network Administrator (CWNA)

Pass CWNP PW0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pw0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

ABC Company has just purchased a 6 dBi patch antenna. After performing some tests with the 6 dBi antenna, they have concluded that more antenna gain is needed to cover their outdoor courtyard. When choosing an antenna with higher gain, what other antenna characteristic will also change?

- A. Fresnel Zone size
- B. Maximum input power
- C. Beamwidth
- D. Impedance
- E. VSWR Ratio

Correct Answer: C

QUESTION 2

What term correctly completes the following sentence?

802.11a/b/g used a mandatory 800ns guard interval. 802.11n introduces an optional short 400ns guard interval. Guard intervals (GI) are necessary in OFDM to reduce the likelihood of interference between two consecutive _____.

- A. Frames
- B. Packets
- C. Segments
- D. Bits
- E. Bytes
- F. Symbols

Correct Answer: F

QUESTION 3

What factors influence the distance that an RF signal can be effectively received? (Choose 4)

- A. Transmitting station's antenna type
- B. Receiving station's radio sensitivity
- C. Free Space Path Loss
- D. MAC layer encryption

- E. Transmitting station's output power
- F. Temperature in the Fresnel zone

Correct Answer: ABCE

QUESTION 4

In WLAN security, which authentication methods always create Layer 2 dynamic encryption keys? (Choose two)

- A. HTTPS Captive Portal
- B. WEP
- C. WPA2-PSK
- D. EAP-TLS
- E. Shared Key
- F. TKIP

Correct Answer: CD

QUESTION 5

The IEEE 802.11a/n physical layer technologies utilize the 5 GHz frequency band. What is true of the two lower bands (UNII-1 and UNII-2) in this frequency spectrum? (Choose two)

- A. The frequency range of these bands is 5000 MHz - 5200 MHz
- B. Each of these two bands contain five 20 MHz channels.
- C. Regulatory domains worldwide require DFS and TPC in these bands.
- D. These bands have a total combined bandwidth of 200 MHz.
- E. 20 MHz in each of these bands is reserved as a guard band.

Correct Answer: DE

[Latest PW0-105 Dumps](#)

[PW0-105 Study Guide](#)

[PW0-105 Braindumps](#)