

# SG0-001<sup>Q&As</sup>

CompTIA Storage+ Powered By SNIA Certification Exam

## Pass CompTIA SG0-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/sg0-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

When considering an HA FC environment, a Single Point of Failure (SPOF) between the storage and the server is:

- A. acceptable when a loop device is connected to dual ports in the fabric.
- B. not acceptable within either fabric.
- C. acceptable when the same name server is installed on all switches.
- D. not acceptable unless each fabric has a different SPOF.

Correct Answer: B

---

**QUESTION 2**

A technician is working with a storage array that has 15 total slots for hard drives. The technician is tasked with configuring two separate RAID 5 volumes of the same size, sharing a global hot spare. 1TB drives are the largest available for this model storage array. Using the 1TB drives, which of the following is the LARGEST raw volume size attainable?

- A. 6 TB
- B. 7 TB
- C. 7.5 TB
- D. 8 TB

Correct Answer: A

---

**QUESTION 3**

A fibre channel fabric needs to be portioned into smaller subsets to restrict actual communication throughout a fabric and must work on fibre channel level 2. Which of the following implementations must be physically setup to satisfy these requirements?

- A. Hard Zoning
- B. Soft Zoning
- C. E-port Replication
- D. LUN Masking

Correct Answer: A

---

**QUESTION 4**

Which of the following is an advantage of an iSCSI SAN over a FC SAN?

- A. Higher performance
- B. Higher scalability
- C. Lower latency
- D. Lower implementation costs

Correct Answer: D

---

#### QUESTION 5

A server administrator reports a lot of SCSI transport errors and retries on one server. Which of the following methods, on the Fibre Channel switch, would display these errors?

- A. Review the Zoning for the server.
- B. Run nscamshow show for the server port.
- C. Review the Port Error counters.
- D. Send fcping the server port.

Correct Answer: C

[Latest SG0-001 Dumps](#)

[SG0-001 Practice Test](#)

[SG0-001 Study Guide](#)