

# VCP-510<sup>Q&As</sup>

VMware Certified Professional on VSphere 5

**Pass VMware VCP-510 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcp-510.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

A vSphere Standard Switch has been configured for IP-based load balancing using two uplinks. A new uplink is added to the vSwitch. What is the status of the uplink by default?

- A. The uplink is placed in standby mode until it is added to the active NIC team.
- B. The uplink is marked as active but does not participate in the active NIC team until assigned to a port group.
- C. The uplink is marked as active, but cannot be used by the active NIC team until it is added to the existing 802.3ad group on the physical switch.
- D. The uplink is marked as unused until it is added to the active NIC team.

Correct Answer: C

---

### QUESTION 2

An administrator has two ESXi 5.x hosts. Each host has two resource pools, Production and Test and a vApp named TestvApp01. What is true when these hosts are added to a DRS cluster?

- A. An option is given during the process to graft the pools under the cluster's root pool, the vApp will be removed.
- B. An option is given during the process to graft the pools and vApp under the cluster's root pool.
- C. The resource pools and vApp are automatically grafted into the cluster under the root pool.
- D. The resource pools and vApp are automatically removed when the host is added.

Correct Answer: A

---

### QUESTION 3

An administrator is enabling Network I/O Control (NIOC) on a vSphere Distributed Switch. Which types of network traffic can be prioritized with NIOC by default? (Choose three.)

- A. FCP Traffic
- B. NFS Traffic
- C. Virtual Machine Traffic By Virtual Machine
- D. iSCSI Traffic
- E. vSphere Replication (VR) Traffic

Correct Answer: BDE

---

### QUESTION 4


Which two storage adapters require no VMkernel ports? (Choose two.)

- A. Independent Hardware iSCSI Adapter
- B. iSCSI Software Adapter
- C. Dependent iSCSI Adapter
- D. Fibre Channel HBA

Correct Answer: AD

**QUESTION 5**

Click the Exhibit button. An administrator has a DRS/HA cluster with five ESXi 5.x hosts. When the administrator tries to start a new Web server virtual machine, an error is displayed saying insufficient resources exist for HA . Based on the HA configuration in the exhibit, which two changes can resolve the issue? (Choose two.)



- A. Shut down one or more virtual machines on the cluster.

- B. Set VM Restart Priority to Disabled for the Web server.
- C. Set Host Isolation response to Shut down.
- D. Suspend one or more virtual machines in the cluster.

Correct Answer: AD

[VCP-510 VCE Dumps](#)

[VCP-510 Exam Questions](#)

[VCP-510 Braindumps](#)