

VCP550^{Q&As}

VMware Certified Professional - Data Center Virtualization

Pass VMware VCP550 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcp550.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What happens to the status of users already logged into ESXi Shell when a vSphere administrator enables lockdown mode?

- A. Users remain logged in and can run commands, except to disable lockdown mode.
- B. Users remain logged in and can run commands, including disabling lockdown mode.
- C. Users are immediately logged out of ESXi Shell.
- D. Users are logged out after a timeout specified by the vSphere administrator.

Correct Answer: A

QUESTION 2

Which two network settings are available on a vSphere Standard Switch? (Choose two.)

- A. Ingress traffic shaping
- B. Egress traffic shaping
- C. Private Virtual Local Area Networks (PVLAN)
- D. Virtual Local Area Networks (VLAN)

Correct Answer: BD

QUESTION 3


Which two CPU features enable the use of 64-bit virtual machines? (Choose two.)

- A. Intel VT
- B. NX/XD Bit
- C. Hyper-threading
- D. AMD RVI

Correct Answer: AD

QUESTION 4

-- Exhibit -



-- Exhibit -What is indicated by the performance chart shown?

- A. Guest memory is overcommitted.
- B. Host memory is overcommitted.
- C. Host is I/O constrained.
- D. Guest is I/O constrained.

Correct Answer: B

QUESTION 5

An administrator determines that when a host residing in a High Availability (HA) cluster fails, the virtual machines fail to restart on a remaining host, or will only restart after a long delay. Which two conditions would account for this behavior? (Choose two.)

- A. The virtual machines were not protected by vSphere HA at the time the failure occurred.
- B. Distributed Resource Scheduler was not enabled at the time the failure occurred.
- C. There is insufficient spare capacity on hosts with which the virtual machines are compatible.
- D. The virtual machines contain physical Raw Device Mappings.

Correct Answer: AC

[Latest VCP550 Dumps](#)

[VCP550 Practice Test](#)

[VCP550 Study Guide](#)