

ACCP-V6.2^{Q&As}

Aruba Certified Clearpass Professional v6.2

Pass Aruba ACCP-V6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/accp-v6-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A Search was performed using Insight and the following is displayed:

Search

Search Type	<input checked="" type="radio"/> Search All Records <input type="radio"/> Search Reports <input type="radio"/> Search Alerts				
Select Template	RADIUS Failed Authentications				Create Report
Rules	<input checked="" type="radio"/> AND <input type="radio"/> OR				
	Type	Name	Operator	Value	+/-
	Auth	Protocol	EQUALS	RADIUS	
	Auth	Error Code	NOT_EQUALS	0	[-] [+]
Select date range	From : 2013-05-20 18:38:52 To : 2013-05-29 18:38:51				Search
Show 10 entries					
Auth.Username	Auth.Host MAC Address	Auth.Network Device	Auth.Service	CppmErrorCode.Error Code Details	CppmAlert.Alerts
0024d665b61a	0024d665b61a	10.8.10.100		Failed to classify request to service	
0024d665b61a	0024d665b61a	10.8.10.100		Failed to classify request to service	

What could be a possible reason for the ErrorCode '\\Failed to classify request to service\\' shown above?

- A. The user failed authentication.
- B. ClearPass couldn't match the authentication request to a service, but the user passed authentication.
- C. ClearPass service rules were not configured correctly.
- D. ClearPass service authentication sources were not configured correctly.
- E. The NAD device didn't send the authentication request.

Correct Answer: C

QUESTION 2

Which of the following is FALSE?

- A. Active Directory can be used as the authentication source to process TACACS+ authentication requests coming to Clearpass from NAD devices
- B. Active Directory can be used as the authentication source to process Clearpass Guest Admin Access
- C. TACACS+ authentication requests received by Clearpass are always forwarded to a Windows Server that can handle these requests
- D. TACACS+ authentication requests from NAD devices to Clearpass are processed by a TACACS+ service
- E. The local user repository in Clearpass can be used as the authentication source for TACACS+ services

Correct Answer: C

QUESTION 3

A report is configured as follows: What type of records will this report display?

Reports » Add Reports

- A. All successful RADIUS authentications through ClearPass.
- B. All failed RADIUS authentications through ClearPass.
- C. All successful RADIUS authentications from the 10.8.10.100 NAD device to ClearPass.
- D. All RADIUS authentications from the 10.8.10.100 NAD device to ClearPass.

Correct Answer: D

QUESTION 4

Refer to the screen capture below: Based on the Enforcement Policy configuration, if a user connects to the network using an Apple iphone, what Enforcement Profile is applied?

- A. WIRELESS_CAPTIVE_NETWORK

- B. WIRELESS_HANDHELD_NETWORK
- C. WIRELESS_GUEST_NETWORK
- D. WIRELESS_EMPLOYEE_NETWORK
- E. Deny Access

Correct Answer: A

QUESTION 5

Which of the following steps are required to use ClearPass as a TACACS+ Authentication server for a network device?
(Choose 2)

- A. Configure the ClearPass Policy Manager as an Authentication server on the network device.
- B. Configure ClearPass roles on the network device.
- C. Configure RADIUS Enforcement Profile for the desired privilege level.
- D. Configure TACACS Enforcement Profile for the desired privilege level.
- E. Enable RADIUS accounting on the NAD device.

Correct Answer: AD

[ACCP-V6.2 Practice Test](#)

[ACCP-V6.2 Study Guide](#)

[ACCP-V6.2 Braindumps](#)