

ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/ace-a1-2.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass2lead.com/ace-a1-2.html

2024 Latest pass2lead ACE-A1.2 PDF and VCE dumps Download

QUESTION 1

The VXLAN spec allows for two implementation types. One uses multicast. What is the other one called?

- A. Non-multicast replication
- B. BUM-Replication
- C. Fore-end Replication
- D. Head-end Replication

Correct Answer: B

Reference: https://eos.arista.com/vxlan-without-controller-for-network-virtualization-with-arista-physicalvteps/

QUESTION 2

Complete this sentence: In an Arista MLAG configuration, interfaces on both devices participate in a ____.

- A. group conversation about the fastest Layer 3 routing protocol convergence scenarios
- B. negotiation over BGP router ID priorities
- C. distributed port channel, enabling all active paths to carry data traffic while maintaining the integrity of the STP topology
- D. disabled Layer 1 fiber optic speed negotiation

Correct Answer: C

QUESTION 3

What is the name of the Arista EOS feature that allows you to view historical ARP table changes?

- A. Event Manager
- B. Event Monitor
- C. Event Trigger
- D. Event History

Correct Answer: B

Reference: https://www.arista.com/en/um-eos/eos-section-5-5-event-monitor

QUESTION 4



https://www.pass2lead.com/ace-a1-2.html

2024 Latest pass2lead ACE-A1.2 PDF and VCE dumps Download

If the SWI= statement in the boot-config file is invalid, what will happen when the switch reboots?

- A. The switch will not boot EOS, and will instead enter Aboot.
- B. The switch will load the first SWI image it finds on flash:
- C. The switch will power off.
- D. The switch will reboot itself and try again.

Correct Answer: B

QUESTION 5

How does Arista\\'s VMTracer feature support multi-tenancy?

- A. By allowing VMs to be run on the switch itself.
- B. By allowing connections to multiple ESXi hosts.
- C. By allowing connections to multiple vCenters.
- D. VMTracer does not support multi-tenancy.

Correct Answer: C

Reference: https://www.arista.com/en/company/news/press-release/320-pr-20100824-01

<u>Latest ACE-A1.2 Dumps</u> <u>ACE-A1.2 Study Guide</u> <u>ACE-A1.2 Exam Questions</u>