

ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ace-a1-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following statuses will be displayed when VMTracer has connected to vSphere?

- A. Connected
- B. Attached
- C. Active
- D. None of the above

Correct Answer: A

QUESTION 2

What must be active on the VMware side in order for EOS to have visibility into vNIC counters?

- A. vSwitches must be used.
- B. Distributed switches must be used.
- C. vSphere must be used.
- D. vNIC counters are not supported in VMTracer.

Correct Answer: A

QUESTION 3

What are the three types of LANZ updates?

- A. Start, Update, and Stop
- B. Start, Update, and End
- C. Begin, Update, and End
- D. Begin, Update, and Stop

Correct Answer: B

LANZ operates by setting threshold values on the interface and global buffer pools and then generates records for the start and end events causing those threshold values to be exceeded. Update records are also generated when buffer use exceeds those thresholds for a prolonged period of time.

Reference: <https://eos.arista.com/latency-analyzer-lanz-architectures-and-configuration/>

QUESTION 4

Which of the following commands is being deprecated and will not be supported in the near future?

- A. copy running-config startup-config
- B. copy run start
- C. write memory
- D. none of the above

Correct Answer: C

QUESTION 5

When using Monitor Sessions with a destination of the CPU, it is impossible to forward an entire 10Gbps worth of traffic due to internal COPP policies.

How might you successfully use this feature given these constraints?

- A. You just have to live with it.
- B. Use packet truncation.
- C. Use ACL filters applied to the mirror session.
- D. Buy a switch with a larger TCAM.

Correct Answer: C

[ACE-A1.2 VCE Dumps](#)

[ACE-A1.2 Practice Test](#)

[ACE-A1.2 Brindumps](#)