

ACLS^{Q&As}

Advanced Cardiac Life Support

Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/acls.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

FILL BLANK

When giving a patient epinephrine via the endotracheal tube, the proper dose should be 2?.5 times the recommended IV dose. How much normal saline should be used?

A. 10 ml of normal saline

Correct Answer: A

QUESTION 2


T/F: Two rescuers using the bag-valve-mask will be more effective than one.

A. True

B. False

Correct Answer: A

QUESTION 3



Identify the rhythm by selecting the best single answer:

A. Normal sinus rhythm

B. Sinus tachycardia

C. Sinus bradycardia D. Reentry supraventricular tachycardia

- E. First-degree AV Block
- F. Second-degree AV Block (Mobitz 1 Wenckebach)
- G. Second-degree AV Block (Mobitz II Block)
- H. Third-degree AV Block
- I. Atrial fibrillation
- J. Atrial flutter
- K. Monomorphic ventricular tachycardia
- L. Polymorphic ventricular tachycardia
- M. Coarse ventricular fibrillation
- N. Fine ventricular fibrillation
- O. Agonal rhythm/asystole
- P. Pulseless electrical activity

Correct Answer: P

QUESTION 4

T/F: Defibrillation "jump starts" the heart?

- A. False
- B. True

Correct Answer: A

Defibrillation actually produces temporary asystole.

QUESTION 5

FILL BLANK

When preparing to insert an oropharyngeal airway, what other equipment should you have available to you?

- A. Suction, bag-valve mask, and oxygen

Correct Answer: A