

ACLS^{Q&As}

Advanced Cardiac Life Support

Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/acls.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

SIMULATION

How can you protect yourself from the legal consequences of patient refusal?

- A. Ensure that you document fully and accurately.

Correct Answer: A

QUESTION 2



A 45-year-old woman with a history of palpitations develops lightheadedness and palpitations. She has received adenosine 6 mg IV for the rhythm shown above without conversion of the rhythm. She is now extremely apprehensive. Blood pressure is 108/70 mmHg. The next appropriate intervention is

- A. Perform vagal maneuvers and repeat adenosine 6 mg IV
- B. Perform immediate unsynchronized cardioversion
- C. Repeat adenosine 12 mg IV
- D. Repeat adenosine 3 mg IV
- E. Sedate and perform synchronized cardioversion

Correct Answer: C

QUESTION 3

If no contraindications exist, thrombolytic therapy should be given to patients with (Choose three.):

- A. chest pain for 4 hours with clear ST elevation > 1 mm in two adjacent leads
- B. presentation within 12 hours after symptom onset
- C. 6 hours of chest pain and left bundle branch block

D. 6 hours of chest pain, ST elevation, and age greater than 75 years

Correct Answer: ACD

QUESTION 4

SIMULATION

How should the trigger be positioned on a flow-restricted oxygen-powered ventilation device?

A. In such a way that both hands of the EMT can remain on the mask to hold it in position.

Correct Answer: A

QUESTION 5

FILL BLANK

In a patient with an acute myocardial infarction what drug is most commonly used to relieve pain?

A. Morphine.

Correct Answer: A

[Latest ACLS Dumps](#)

[ACLS Practice Test](#)

[ACLS Braindumps](#)