

ACP-CLOUD1^{Q&As}

ACP Cloud Computing

Pass Alibaba ACP-CLOUD1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/acp-cloud1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alibaba
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When using Alibaba Cloud SLB, you can set different weights for backend ECS instances. The higher the weight of a backend ECS instance, the more load will be assigned to it. An SLB instance has 5 ECS instances in the backend server pool, all of which are healthy. Among these 5 ECS instances, the weight of `ecs_inst1` is set to 100. Which of the following statements is correct?

- A. Based on request level parameters of external requests, all requests with a request level parameter of 100 will be transferred to `ecs_inst1`.
- B. Based on SLB's working mechanism, approximately 20% of loads will be assigned to `ecs_inst1`.
- C. We do not know the weight settings of the remaining 4 ECS instances, so we cannot tell what would happen.
- D. 100% of loads will be assigned to `ecs_inst1`, and the remaining 4 ECS instances will stay idle.

Correct Answer: C

QUESTION 2

Alibaba Cloud Content Delivery Network (CDN) is a distributed network that is built and overlaid on the bearer network. Moreover, it is composed of edge node server clusters distributed across different regions. It replaces the traditional data transmission mode, which is centered on Web servers. When using Alibaba Cloud CDN, a user's request will first reach the edge node, and then receive data from the origin site by means of back-to-source. Moreover, the admin can obtain visitor's real IP on the origin site. Which of the following descriptions relate to "obtaining visitor's real IP" are correct? (Number of correct

- A. "Visitor's real IP" is saved in "X-Forwarded-For" header in HTTP protocol. It can be directly obtained in the user-defined LOG of Apache and Nginx.
- B. "Visitor's real IP" can only be obtained by modifying the application.
- C. You can one-step activate the "recording visitor's real IP" function in Alibaba Cloud CDN console to directly view the visitor's real IP in the access log.
- D. In Windows, if IIS is used: after installing "F5XForwardedFor" extension module, "Visitor's real IP" can then be seen in the log.

Correct Answer: AD

QUESTION 3

Many cloud computing service providers support users to activate/create a cloud service through Open API. Which of the following protocols is most not likely to be supported by these Open API?

- A. HTTP
- B. Restful

C. Web Service

D. PPPoE

Correct Answer: D

QUESTION 4

You have created two Alibaba Cloud VPCs in two different regions. To establish communication between these two VPCs via the Intranet, you can_____.

A. Use the VRouter to create a new route table to enable the communication

B. Use CEN to establish communication between VPCs

C. Create a new access rule through the Security Group to enable the communication

D. No operation is needed, as VPCs under the same account are connected through the Intranet by default

Correct Answer: B

QUESTION 5

To meet business requirements, a user requires that the backend server of an SLB instance include a primary ECS instance and a secondary ECS instance. When the primary instance is working properly, the traffic is only forwarded to the primary ECS, when the primary instance is down, traffic is switched to the standby instance. In this case, you can create an active/standby server group on the backend of the SLB instance.

Which kind of listener supports this feature? (Number of correct answers: 2)

A. HTTPS

B. HTTP

C. UDP

D. TCP

Correct Answer: AC

[ACP-CLOUD1 VCE Dumps](#) [ACP-CLOUD1 Practice Test](#) [ACP-CLOUD1 Study Guide](#)