

AD0-E106^{Q&As}

Adobe Experience Manager Dev/Ops Engineer

Pass Adobe AD0-E106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ad0-e106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

According to Adobe best practices, how should a DevOps Engineer tailor the OSGi service configurations depending on the type of environment?

- A. Leverage configuration files in runmode dedicated folder
- B. Leverage multiple content packages for each environment
- C. Use environment variables to identify the instance and environment type, then load the appropriate configuration files accordingly
- D. Provide default configuration in the content package, and apply the differences using the OSGi console

Correct Answer: A

QUESTION 2

What is the role of the External Login Module when setting up LDAP Authentication with AEM?

- A. It defines which Identity Provider and Sync Handler to use.
- B. It defines how the Identity Provider users and groups will be synchronized with the repository.
- C. It invokes JMX syncing of users.
- D. It defines how users are retrieved from the LDAP server.

Correct Answer: A

Reference: <https://helpx.adobe.com/experience-manager/6-3/sites/administering/using/ldapconfig.html#ConfigureLDAPoverSSL>

QUESTION 3

After which maintenance processes can a datastore garbage collection achieve the most regain of disk space?

- A. Re-index
- B. Compaction
- C. Version purge
- D. Workflow purge

Correct Answer: B

QUESTION 4

Why does the size of the repository double when running online compaction?

- A. A cache is created to improve performance of compaction.
- B. A backup generation is stored on disk after online compaction.
- C. The first generation is only cleaned after running a second online compaction.
- D. A temporary working generation is stored on disk but removed afterwards.

Correct Answer: B

Reference: <https://docs.adobe.com/content/help/en/experience-manager-64/deploying/deploying/revisioncleanup.html>

QUESTION 5

A DevOps Engineer needs to change the default size for a tar file to 512 MB.

Which option should be used to enable this configuration?

- A. Set Segment Cache Size property to 512 in Oak Segment TAR NodeStore Service configuration in Webconsole
- B. Set tarmk.size property to 512 in org.apache.jackrabbit.oak.segment.SegmentNodeStoreService.config file
- C. Set NodeState Cache property to 512 in Apache Jackrabbit Oak Document NodeStore Service configuration in Webconsole
- D. Set changesSize property to 512 in org.apache.jackrabbit.oak.plugins.document.DocumentNodeStoreService.config file

Correct Answer: D

Reference: <https://docs.adobe.com/content/help/en/experience-manager-64/deploying/deploying/datastore-config.html>

[AD0-E106 VCE Dumps](#)

[AD0-E106 Exam Questions](#)

[AD0-E106 Braindumps](#)