

AND-801^{Q&As}

Android Application Development v8

Pass Android AND-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/and-801.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Android
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following is true about implicit intents? (Choose two)

- A. They do not have a component specified.
- B. They have components specified to run an exact class.
- C. They must include information that allows Android system to choose the best component to run.
- D. They must contain extra information saved in a Bundle object.

Correct Answer: AC

QUESTION 2

The SharedPreferences class provides a general framework that lets you save and retrieve persistent key-value pairs of primitive data types.

- A. False
- B. True

Correct Answer: B

QUESTION 3

What does the following code snippet do?

```
package com.androidatc.lesson_07_android.  
  
class PlaceListAdapter(private val list:ArrayList<Place>, private val  
context: Context):RecyclerView.Adapter<PalceListAdapter.ViewHolder>(){  
  
    override fun onBindViewHolder<holder: ?, position: Int) {}  
  
    override fun onCreateViewHolder(parent: ViewGroup?, viewGroup?, viewType: Int): {}  
  
    override fun getItemCount(): Int {}  
  
    class ViewHolder(itemView:View): RecyclerView.ViewHolder(itemView) {  
    }  
}
```

- A. Creates a FrameView.
- B. Creates a Cradview.

- C. Creates a RecyclerView.
- D. Creates a ListView-

Correct Answer: C

QUESTION 4

Which of the following is true about the Dialog class? (Choose two)

- A. You can add a custom layout to a dialog using setContentView().
- B. A dialog has a life-cycle independent of the Activity.
- C. A dialog is displayed on the screen using method show().
- D. It does not have a method to access the activity that owns it.

Correct Answer: AC

QUESTION 5

The following image includes Android code for an app that contains a button with an id : "Downloadbutton".

When the app user clicks this button, a progress bar with id: "progressBar" will show up.

What will happen if you change `*\rate+=10` illustrated with green underlined text to `"rate+=50"`?

```
class MainActivity: AppCompatActivity() {
    var progressBarStatus=0
    var rate=0
    override fun onCreate (savedInstanceState: Bundle?) {
        super.onCreate (savedInstanceState)
        setContentView(R.layout.activity_main)

        Downloadbutton.setOnClickListener { view ->
            Thread (Runnable {
                while (progressBarStatus <100) {
                    try {
                        rate += 10

                        Thrad.sleep(millis:500)
                    }
                    catch (e:InterruptedException) {
                        e.printStackTrace
                    }
                    progressBarStatus = rate
                    progressBar progress = progressBarStatus
                }
                progressBar.setVisibility(ProgressBar.INVISIBLE)
            }).start()
        }}
}
```

- A. No any change m progress bar work.
- B. The progress bar will finish within two steps only.
- C. You will get error and the app will not work.
- D. The progress bar will work before slowly than before.

Correct Answer: B

[AND-801 PDF Dumps](#)

[AND-801 VCE Dumps](#)

[AND-801 Braindumps](#)