

AZ-500^{Q&As}

Microsoft Azure Security Technologies

Pass Microsoft AZ-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/az-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You have an Azure environment.

You need to identify any Azure configurations and workloads that are non-compliant with ISO 27001 standards.

What should you use?

- A. Azure Sentinel
- B. Azure Active Directory (Azure AD) Identity Protection
- C. Azure Security Center
- D. Azure Advanced Threat Protection (ATP)

Correct Answer: C

Reference: <https://docs.microsoft.com/en-us/azure/security-center/security-center-compliance-dashboard>

QUESTION 2

HOTSPOT

You have an Azure Active Directory (Azure AD) tenant that contains the resources shown in the following table.

| Name | Type |
|--------|------------------------|
| User1 | User |
| User2 | User |
| User3 | User |
| Group1 | Security group |
| Group2 | Security group |
| App1 | Enterprise application |


User2 is the owner of Group2.

The user and group settings for App1 are configured as shown in the following exhibit.

+ Add user Edit Remove Update Credentials Columns Got feedback?

i The application will appear on the access panel for assigned users. Set 'visible to users?' to no in properties to prevent this. →

First 100 shown, to search all users & groups, enter a display name.

| DISPLAY NAME | OBJECT TYPE | ROLE ASSIGNED |
|---|-------------|----------------|
| <input type="checkbox"/>  Group1 | Group | Default Access |

You enable self-service application access for App1 as shown in the following exhibit.

Allow users to request access to this application? ⓘ Yes No

To which group should assigned users be added? ⓘ

Select group >

Group2

Require approval before granting access to this application? ⓘ Yes No

Who is allowed to approve access to this application? ⓘ

Select approvers >

1 users selected

To which role should users be assigned in this application? ⓘ

*Select a role >

Default Access

User3 is configured to approve access to Appl.

You need to identify the owners of Group2 and the users of Appl.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Group2 owners:

| | |
|-------------------------|---|
| | ▼ |
| User2 only | |
| User3 only | |
| User1 and User2 only | |
| User2 and User3 only | |
| User1, User2, and User3 | |

App1 users:

| | |
|--|---|
| | ▼ |
| Group1 members only | |
| Group2 members only | |
| Group1 and Group2 members only | |
| Group1 and Group2 members and User1 only | |
| Group1 and Group2 members, User1, and User3 only | |

Correct Answer:

Answer Area

Group2 owners:

| | |
|-------------------------|---|
| | ▼ |
| User2 only | |
| User3 only | |
| User1 and User2 only | |
| User2 and User3 only | |
| User1, User2, and User3 | |

App1 users:

| | |
|--|---|
| | ▼ |
| Group1 members only | |
| Group2 members only | |
| Group1 and Group2 members only | |
| Group1 and Group2 members and User1 only | |
| Group1 and Group2 members, User1, and User3 only | |

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access>

QUESTION 3

You have an Azure Active Directory (Azure AD) tenant and a root management group.

You create 10 Azure subscriptions and add the subscriptions to the root management group.

You need to create an Azure Blueprints definition that will be stored in the root management group.

What should you do first?

- A. Add an Azure Policy definition to the root management group.
- B. Modify the role-based access control (RBAC) role assignments for the root management group.
- C. Create a user-assigned identity.
- D. Create a service principal.

Correct Answer: B

Reference: <https://docs.microsoft.com/en-us/azure/role-based-access-control/elevate-access-global-admin>

QUESTION 4

HOTSPOT

You have the Azure Information Protection labels as shown in the following table.

| Name | Use condition | Label is applied | Pattern | Case sensitivity |
|--------|---------------|------------------|---------|------------------|
| Label1 | Condition1 | Automatically | White | On |
| Label2 | Condition2 | Automatically | Black | Off |

You have the Azure Information Protection policies as shown in the following table.

| Name | Applies to | Use label | Set the default label |
|---------|-----------------------|-------------|-----------------------|
| Global | <i>Not applicable</i> | <i>None</i> | None |
| Policy1 | User1 | Label1 | None |
| Policy2 | User1 | Label2 | None |

You need to identify how Azure Information Protection will label files.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

If User1 creates a Microsoft Word file that includes the text "Black and White", the file will be assigned:

| | |
|-------------------|---|
| | ▼ |
| No label | |
| Label1 only | |
| Label2 only | |
| Label1 and Label2 | |

If User1 creates a Microsoft Notepad file that includes the text "Black or white", the file will be assigned:

| | |
|-------------------|---|
| | ▼ |
| No label | |
| Label1 only | |
| Label2 only | |
| Label1 and Label2 | |

Correct Answer:

Answer Area

If User1 creates a Microsoft Word file that includes the text "Black and White", the file will be assigned:

| | |
|-------------------|---|
| | ▼ |
| No label | |
| Label1 only | |
| Label2 only | |
| Label1 and Label2 | |

If User1 creates a Microsoft Notepad file that includes the text "Black or white", the file will be assigned:

| | |
|-------------------|---|
| | ▼ |
| No label | |
| Label1 only | |
| Label2 only | |
| Label1 and Label2 | |

QUESTION 5

HOTSPOT

You have an Azure subscription named Sub 1 that is associated to an Azure Active Directory (Azure AD) tenant named

contoso.com. The tenant contains the users shown in the following table.

| Name | Type |
|-------|------------------------|
| User1 | Global administrator |
| User2 | Security administrator |
| User3 | Security reader |
| User4 | License administrator |

Each user is assigned an Azure AD Premium P2 license.

You plan to onboard and configure Azure AD Identity Protection.

Which users can onboard Azure AD Identity Protection, remediate users, and configure policies? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Users who can onboard Azure AD Identity Protection:

| | |
|-------------------------------------|---|
| | ▼ |
| User1 only | |
| User1 and User2 only | |
| User1, User2, and User3 only | |
| User1, User2, User3, and User4 only | |

Users who can remediate users and configure policies:

| | |
|--------------------------------|---|
| | ▼ |
| User1 and User2 only | |
| User1 and User3 only | |
| User1, User2, and User3 only | |
| User1, User2, User3, and User4 | |

Correct Answer:

Answer Area

Users who can onboard Azure AD Identity Protection:

| | |
|------------------------------------|---|
| | ▼ |
| User1 only | |
| User1 and User2 only | |
| User1,User2, and User3 only | |
| User1,User2, User3, and User4 only | |

Users who can remediate users and configure policies:

| | |
|--------------------------------|---|
| | ▼ |
| User1 and User2 only | |
| User1 and User3 only | |
| User1, User2, and User3 only | |
| User1, User2, User3, and User4 | |

[AZ-500 PDF Dumps](#)

[AZ-500 VCE Dumps](#)

[AZ-500 Braindumps](#)