

C1000-002^{Q&As}

IBM MQ V9.0 System Administration

Pass IBM C1000-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c1000-002.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The MQ Administrator has enabled Command Events in order to log all successful MQSC commands. What else must be done to also capture the unauthorized MQSC command attempts?

- A. Enable Authority Events
- B. Enable Security Events
- C. Change the Authority Event setting from DISABLED to NODISPLAY
- D. Change the Command Event setting from DISABLED to NODISPLAY

Correct Answer: D

QUESTION 2

The MQ administrator must meet a regulatory compliance requirement to preserve confidentiality of data in messages at rest, in traces, and in FFST files. Which MQ security control meets this requirement?

- A. Advanced Message Security with a non-blank ENCALG specified in the policy records.
- B. A non-blank value in the channel's SSLCIPH attribute.
- C. Set PasswordProtection to ALWAYS in the qm.ini file.
- D. Use an API or API Crossing exit that encrypts the messages.

Correct Answer: B

QUESTION 3

An application is putting messages in an MQ cluster but the messages are only routed to the local queue manager to which the application is connected.

What parameter should the administrator adjust to achieve a desired round-robin delivery of messages throughout the cluster?

- A. MSGDLVSQ should be set to ANY
- B. CLWLUSEQ should be set to ANY
- C. MSGDLVSQ should be set to SHARE
- D. CLWLUSEQ should be set to SHARE

Correct Answer: B

QUESTION 4

When configuring MQ shared queues on z/OS, where are the queue objects that represents the attributes of the shared queues held?

- A. VSAM database
- B. External SQL Server
- C. Shared DB2 repository
- D. Shared Oracle database

Correct Answer: C

QUESTION 5

What setting of the MONQ attribute should be used to stop capturing monitoring data for all queues on the Queue Manager?

- A. OFF
- B. NONE
- C. FALSE
- D. DISABLE

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/SS3JRN_7.2.1/com.ibm.omegamon.mes_dist.doc_7.1/kmquserguide710_dist.pdf (87)

[Latest C1000-002 Dumps](#)

[C1000-002 VCE Dumps](#)

[C1000-002 Practice Test](#)