

# C1000-026<sup>Q&As</sup>

IBM Security QRadar SIEM V7.3.2 Fundamental Administration

## Pass IBM C1000-026 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c1000-026.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Due to regulatory constraints, an administrator must increase the minimum password length and complexity.

In which QRadar section can the administrator change this setting?

- A. Admin / System settings
- B. Admin / Password policy
- C. Admin / Security profiles
- D. Admin / Authentication

Correct Answer: B

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSHLHV\\_5.4.0/com.ibm.alps.doc/tasks/alps\\_configuring\\_admin\\_settings.htm](https://www.ibm.com/support/knowledgecenter/en/SSHLHV_5.4.0/com.ibm.alps.doc/tasks/alps_configuring_admin_settings.htm)

---

### QUESTION 2

An administrator has been tasked to run all health checks at once using the DrQ command before a major event happens, such as an upgrade.

What does the DrQ command do?

- A. It runs all available checks in /opt/ibm/si/diagnostiq with the checkup mode and with the summary output mode.
- B. It shows all the available drives on the QRadar managed host.
- C. It runs all available checks in /opt/ibm/si/diagnostiq and writes the results in a txt file.
- D. It checks all the available drives on the QRadar managed host and writes the results on a txt file.

Correct Answer: A

Reference: [https://www.ibm.com/support/knowledgecenter/en/SS42VS\\_7.3.2/com.ibm.qradar.doc/t\\_drq\\_running\\_health\\_checks.html](https://www.ibm.com/support/knowledgecenter/en/SS42VS_7.3.2/com.ibm.qradar.doc/t_drq_running_health_checks.html)

---

### QUESTION 3

A QRadar user reported the following notification:

38750099 – The accumulator was unable to aggregate all events/flows for this interval

When does this message appear?

- A. When the aggregate data view configuration that is in memory is unable to write data to the database
- B. When the system is unable to accumulate data aggregations within 60 seconds

- C. When aggregated data views are disabled
- D. When search results is unable to return over 200 unique objects

Correct Answer: B

Reference: <https://www.ibm.com/support/knowledgecenter/SSKMKU/com.ibm.qradar.doc/38750099.html>

---

#### QUESTION 4

An administrator needs to collect logs from the Command Line Interface (CLI). Which command should the administrator use?

- A. /opt/bin/qradar/support/get\_logs.sh
- B. /opt/support/get\_logs.sh
- C. /opt/support/qradar/get\_logs.sh
- D. /opt/qradar/support/get\_logs.sh

Correct Answer: D

Reference: <https://www.ibm.com/support/pages/getting-help-what-information-should-be-submitted-qradarservice-request>

---

#### QUESTION 5

An administrator needs to add, delete and modify user accounts.

When deleting a user, what dependency checks are carried out?

- A. Custom Rules, Historical Correlation Profiles, Security Profiles
- B. Custom Rules, Report and Search Criteria, Security Roles
- C. Custom Rules, Security Profiles, Report and Search Criteria
- D. Custom Rules, Report and Search Criteria, Historical Correlation Profiles

Correct Answer: D

[Latest C1000-026 Dumps](#)

[C1000-026 VCE Dumps](#)

[C1000-026 Practice Test](#)