

# C100DBA<sup>Q&As</sup>

MongoDB Certified DBA Associate Exam (Based on MongoDB 4.4)

## Pass MongoDB C100DBA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c100dba.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by MongoDB  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

What does the following aggregate query perform?

```
db.posts.aggregate( [
  { $match : { likes : { $gt : 100, $lte : 200 } } },
  { $group: { _id: null, count: { $sum: 1 } } }
] );
```

- A. Fetches the posts with likes between 100 and 200 and sets their `_id` as null
- B. Groups the posts by number of likes (101, 102, 103.) by adding 1 every time
- C. Calculates the number of posts with likes between 100 and 200
- D. Fetches the posts with likes between 100 and 200, sets the `_id` of the first document as null and then increments it 1 every time

Correct Answer: C

---

### QUESTION 2

Which of the following are common uses of the mongo shell? Check all that apply

- A. Perform queries against MongoDB collections
- B. Perform administrative tasks
- C. Use as a JavaScript framework for your production system

Correct Answer: AB

---

### QUESTION 3

Which command can be used to rebuild the indexes on a collection in MongoDB?

- A. `db.collection.createIndex({reIndex:1})`
- B. `db.collection.reIndex({author:1})`
- C. `db.collection.reIndexQ`
- D. `db.collection.createIndex({author:1}).reIndex()`

Correct Answer: C

---

**QUESTION 4**

Below is a sample document of "orders" collection A. \$sort

```
{
  cust_id: "abc123",
  ord_date: ISODate("2012-11-02T17:04:11.102Z"),
  status: 'A',
  price: 50,
  items: [ { sku: "xxx", qty: 25, price: 1 },
           { sku: "yyy", qty: 25, price: 1 } ]
}
```

Select operators for the below query to determine the sum of "qty" for each "cust\_id".

```
db.orders.aggregate( [
  { $OPR1: "$items" },
  {
    $OPR2: {
      _id: "$cust_id",
      qty: { $OPR3: "$items.qty" }
    }
  }
] )
OPR2 is
```

Correct Answer: A

**QUESTION 5**

Which mongodb tool is used to report details on number of database operations in MongoDB?

- A. mongostat
- B. mongotop
- C. mongorestore
- D. mongodump

Correct Answer: A