

C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

When might image copies be needed in a data mirroring environment during disaster recovery?

- A. To resolve outstanding units of recovery.
- B. If the RBA in the BSDS is higher than the RBA in the active log.
- C. Image copies would never be needed when using data mirroring.
- D. If a LOAD or RECOVER utility was active at the time of the disaster.

Correct Answer: A

QUESTION 2

Your production DB2 subsystem is up and running, the following message is received:

DSNJ126I - BSDS ERROR FORCED SINGLE BSDS MODE because one of the BSDS volumes is offline.

After the volume is back online, in order to ensure a securely running system, what is the least disruptive scenario to correct this error?

- A. Run the recover BSDS utility.
- B. Issue the -RECOVER BSDS command.
- C. IDCAMS REPRO the correct BSDS VSAM replacing the corrupt BSDS VSAM.
- D. Wait until the next stop and then start the DB2 subsystem to correct the problem.

Correct Answer: C

QUESTION 3

Which combination of subsystem parameter values will enable connection pooling for idle distributed database access threads?

- A. Specify subsystem parameter CMTSTAT = ACTIVE and set CONDBAT = MAXDBAT.
- B. Specify subsystem parameter CMTSTAT = INACTIVE and set CONDBAT
- C. Specify subsystem parameter CMTSTAT = ACTIVE and set CONDBAT > MAXDBAT.
- D. Specify subsystem parameter CMTSTAT = INACTIVE and set CONDBAT >MAXDBAT.

Correct Answer: C

QUESTION 4

A member of a DB2 data sharing group (DB2A) has failed and is currently down. After a few minutes the phone starts ringing and people complain that transactions accessing table space TSA (in database DBA) get an SQLCODE -904 because of retained locks held by the member that just abended.

What is the recommended way to resolve this problem?

- A. -START DB(DBA) SP(TSA) ACCESS(FORCE)
- B. Restart the failed DB2 member with the LIGHT(YES) option.
- C. Delete all the failed persistent connections to the lock structure with the SETXCFFORCE,CONNECTION,STRNAME=lock_strname.CONNAME=ALL command and force the deallocation of the lock structure by issuing SETXCFFORCE,STRUCTURE.STRNAME=lock_strname
- D. Issue the MODIFY irlmproc.PURGE. DB2A command from an IRLM that is used by a DB2 member that is still running.}

Correct Answer: C

QUESTION 5

Which statement is true regarding DB2 definitions for SMF collection?

- A. SMF collection is not required for DB2.
- B. At the minimum, DB2 statistics class 1 trace is required.
- C. At the minimum, DB2 accounting classes 1.2.3 are required.
- D. The SMF subsystem does not have to be active for DB2 to write SMF trace records.

Correct Answer: B

[C2090-317 Practice Test](#)

[C2090-317 Study Guide](#)

[C2090-317 Braindumps](#)