

# C7010-010<sup>Q&As</sup>

IBM Cúram V6.0.4 Application Development

**Pass IBM C7010-010 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c7010-010.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

What are three effects of running a build clean server command? [Select 3]

- A. All database tables are dropped and rebuilt
- B. All generated artifacts are deleted
- C. All code table files are recompiled
- D. All application navigation files are checked and loaded
- E. All client pages that have changed since the last build are regenerated
- F. All generated and handcrafted code is compiled

Correct Answer: BCF

---

### QUESTION 2

Suppose that MessageFile.xml contains the following message identifier:

ERR\_ENTRY\_NOT\_FOUND Which of the following is the valid way to create a Cúram exception that uses this message? Which of the following is the valid way to create a Cúram exception that uses this message?

- A. Exception e = new Exception(MESSAGEFILE.ERR\_ENTRY\_NOT\_FOUND);
- B. ApplicationException ae = new ApplicationException(MessageFile, ERR\_ENTRY\_NOT\_FOUND);
- C. ApplicationException ae = new ApplicationException(MESSAGEFILE.ERR\_ENTRY\_NOT\_FOUND);
- D. ApplicationException ae = new ApplicationException(ERR\_ENTRY\_NOT\_FOUND);

Correct Answer: C

---

### QUESTION 3

Which of the following statements about the extension class EntityExtension that extends the entity class Entity is true?

- A. The generator produces a new Java class curam.struct.EntityExtensionDtIs containing any new or overridden attributes, as well as the attributes remaining from curam.struct.EntityDtIs.
- B. The generator produces a new Java class curam.struct.EntityExtensionDtIs containing any new or overridden attributes.
- C. The generator produces no new Java classes, but replaces curam.struct.EntityDtIs with a new version containing the new or overridden attributes, as well as any others remaining from the original Entity.

D. The generator produces a new curam.intf.EntityExtension class containing the method signatures of curam.intf.Entity, as well as any new or overridden methods.

Correct Answer: C

**QUESTION 4**

Attribute 1	Attribute 2	Attribute 3
First	Second	Third
Fourth	Fifth	Sixth
Seventh	Eighth	Ninth

View  
Edit  
Remove

Which of the following pieces of UIM could be used to create this page section?

C A.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL = "ActionControl.View">
      <LINK PAGE_ID="SampleReadPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL = "ActionControl.Edit">
      <LINK PAGE_ID="SampleEditPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL = "ActionControl.Remove">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
  </ACTION_SET>
</LIST>
```

C B.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <LINK LABEL="ActionControl.View" PAGE_ID="SampleReadPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
    <LINK LABEL="ActionControl.Edit" PAGE_ID="SampleEditPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
    <LINK LABEL="ActionControl.Remove" PAGE_ID="SampleConfirmRemovePage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
  </ACTION_SET>
</LIST>
```

CC.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <CONTAINER TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL="ActionControl.View">
      <LINK PAGE_ID="SampleReadPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Edit">
      <LINK PAGE_ID="SampleEditPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Remove">
      <LINK PAGE_ID="SampleConfirmRemovePage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
  </CONTAINER>
</LIST>
```

C D.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL="ActionControl.View" LINK_TO="SampleReadPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Edit" LINK_TO="SampleEditPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Remove" LINK_TO="SampleConfirmRemovePa">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
  </ACTION_SET>
</LIST>
```

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: A

#### QUESTION 5

Which of the following are valid values for the MODE attribute of the MENU element?

- A. GLOBAL
- B. NAVIGATION
- C. TRUE
- D. WIZARD\_PROGRESS\_BAR
- E. FALSE

Correct Answer: BD

[Latest C7010-010 Dumps](#)

[C7010-010 PDF Dumps](#)

[C7010-010 Exam Questions](#)