

C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Before changing virtual memory settings, how can an administrator check the valid range of values for a tuning parameter?

- A. Iscfg-T
- B. Isattr-R
- C. vmtune-l
- D. vmo-L

Correct Answer: D

QUESTION 2

When attempting to connect to a remote system, a long delay is experienced before the login prompt is displayed. Which of the following is the most likely cause of this issue?

- A. The /etc/resolv.conf file on the remote system is missing.
- B. The /etc/resolv.conf file on the remote system has an invalid entry.
- C. The /etc/hostsfile on the remote system does not have an entry for itself.
- D. The /etc/hosts file on the remote system has an invalid hostname listed for itself.

Correct Answer: B

QUESTION 3

When preparing to install a System WPAR using NIM, what action must occur before the planned WPAR can be successfully defined as a NIM client?

- A. Install AIX onto the global environment.
- B. Register the planned hostname to DNS.
- C. Define the global environment LPAR as a NIM client.
- D. Create an lpp_source with the WPAR-specific backup files.

Correct Answer: C

QUESTION 4

Which of the following is a requirement for EtherChannel using HEA ports?

- A. Dedicated HEA ports are supported as primary adapters when they are configured at different speeds within a single EtherChannel.
- B. HEA logical ports can only be used as a backup adapter when the physical ports are configured as primary adapters in an EtherChannel.
- C. When using HEA logical ports as primary adapters in an EtherChannel, the underlying physical ports must be in an EtherChannel at the switch level.
- D. The `Internet Address to Ping` attribute must be enabled for logical HEA ports when the EtherChannel only includes primary adapters running at full duplex.

Correct Answer: C

QUESTION 5

Users on a server are receiving errors stating that they cannot fork any additional processes. The administrator checks server paging space and finds that it is only 5% used. What is the next most likely cause of the forking issue and what action should be taken to resolve it?

- A. Corruption has occurred to the `bos.rte.control` fileset. Reinstall the fileset with the `-f` option.
- B. The number of fixed licenses has been reached. Use `chlicense` to increase the limit and reboot the system.
- C. System requires additional table space as well as paging space. Check the table space and increase as required.
- D. The system has the default `maxuproc` system attribute. This should be increased to a value appropriate for the environment.

Correct Answer: D

[Latest C9010-022 Dumps](#)

[C9010-022 Practice Test](#)

[C9010-022 Exam Questions](#)