

# C9010-030<sup>Q&As</sup>

IBM i Administration V1

**Pass IBM C9010-030 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9010-030.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

An administrator added a prestart job entry to the QCMN subsystem using the following command: ADJPJE SBS(DQCMN) PGM(PGMA) INUOBS(350) THRESHOLD(250) ADUOBS(150) MAXUSE (200) The entry is used extensively and many remote requests connect to the prestart jobs. After adding the entry, the administrator determines that the system periodically freezes and response time is slow. What is the most likely cause of the problem?

- A. The ADLJOBS parameter is too high and many system resources are used at the same time to generate new prestart jobs
- B. The MAXUSE parameter is too low and a big job log is generated when the last request uses the prestart job.
- C. There are not enough system resources in QCMN to handle the additional jobs.
- D. The prestart job entry competes with the TCP/IP jobs

Correct Answer: B

---

### QUESTION 2

Which sequence of actions will ensure that private authorities are correctly assigned to the objects after restoring the operating system?

- A. Restore all the saved user profiles Run the RSTAUT command Restore all libraries, document library objects, and IFS
- B. Restore all libraries, document library objects, and IFS Restore all the saved user profiles Run the RSTAUT command
- C. Restore all the saved user profiles Restore all libraries, document library objects, and IFS Run the RSTAUT command
- D. Run the RSTAUT command Restore all saved user profiles Restore all libraries, document library objects, and IFS

Correct Answer: B

---

### QUESTION 3

An administrator needs to automatically terminate interactive user jobs when they are idle for more than 15 minutes Which two system values should the administrator use to complete this task?

- A. QINACTITV (inactive job timeout) QJOBENDNFY (notify user on job end)
- B. QLMTDEVSSN (limit device sessions) QDEVSSNACN (device session end action)
- C. QDSCJOBITV (time interval before jobs are disconnected) QDSCJOBACN (disconnected job action)
- D. OINACTTTV (inactive job timeout) QINACTMSGQ (inactive job message queue)

Correct Answer: D

---

**QUESTION 4**

Several printers were moved from one IP subnet to another overnight. The printers are accessed by their Fully Qualified Domain Name (FQDN). The FQDNs were changed to resolve to the new addresses the following morning, but the IBM i will still not print to the new printers. The printers can be pinged by their IP addresses.

What is the cause of this problem?

- A. The DNS server was not restarted to present the new addresses.
- B. The network route to the new subnet is missing.
- C. IBM i has cached the resolved IP address before the change.
- D. CHGDEVPRT was not run on each device to get the new address

Correct Answer: C

---

**QUESTION 5**

What is required to restore a Hardware Management Console (HMC) to the last working configuration?

- A. The last HMC back up performed via Back Up Management Console Data task
- B. Recovery DVDs and the last HMC back up performed via Save Upgrade Data task
- C. The last HMC back up performed via Save Upgrade Data task
- D. Recovery DVDs and the last HMC back up performed via Back Up Management Console Data task

Correct Answer: A

[C9010-030 PDF Dumps](#)

[C9010-030 Study Guide](#)

[C9010-030 Braindumps](#)