

C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A system administrator is planning to enable events when queue manager objects are created, changed or deleted.

Which events should the system administrator enable?

- A. Logger
- B. Performance
- C. Configuration
- D. Queue Manager

Correct Answer: C

QUESTION 2

A system administrator has migrated a z/OS queue manager from a previous version to V8.0.0. Which action does the system administrator need to take to implement the larger 8-byte Relative Byte Address (RBA) for the active logs?

- A. Delete and reinitialize the active logs.
- B. Run CSQJUFMT to format the active logs to use the larger RBA.
- C. Start the queue manager. The RBA size is automatically updated at migration time.
- D. Enable the new function mode and run CQSJUCNV to convert the BootstrapDataSet (BSDS).

Correct Answer: C

QUESTION 3

A financial company is having a problem with IBM MQ on their development system. The queue manager is not down, but the new application keeps failing and MQ generates FDCs. This problem is significantly affecting the business as they could miss the project deadlines. The system administrator needs to open a Service Request (SR) to report the problem to IBM. What should be the severity of the SR raised by the system administrator?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B

QUESTION 4

A system administrator has defined a queue manager cluster CLUS1 consisting of queue managers QMGRI, QMGR2 and QMGR3. QMGRI and QMGR2 are full repository queue managers. The system administrator has been asked to add a new queue manager, QMGR4, as a partial repository to the existing cluster. What action does the system administrator need to perform on QMGR4? Choose two.

- A. Run ALTER QMGR REPOS CLUS1
- B. Run ALTER QMGR REPOS CLUS2
- C. Define a cluster-receiver channel
- D. Define a cluster-sender channel to QMGR2
- E. Define a cluster-sender channel to QMGR3

Correct Answer: AD

QUESTION 5

A system administrator created a program to monitor the queue manager using Programmable Command Format PCF commands. The program reported an invalid format error in the message header when the system administrator ran the program. To correct the invalid program error, which message format should the system administrator specify in the QMD Header?

- A. MQFMT ADMIN
- B. MQFMT STRING
- C. MQFMT REPORT
- D. MQFMT COMMAND

Correct Answer: D