

C9550-605^{Q&As}

IBM WebSphere Enterprise Service Bus V7.0 Integration Development

Pass IBM C9550-605 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9550-605.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An integration developer is developing a mediation flow component that has an adapter configured to communicate with the SAP system. What is the technology used by the WebSphere adapters to introspect/ look inside the EIS?

- A. Enterprise Data Discovery (EDD)
- B. Enterprise Object Discovery (EOD)
- C. Enterprise Service Discovery (ESD)
- D. Enterprise Metadata Discovery (EMD)

Correct Answer: D

QUESTION 2


An integration developer is generating a Web Service Binding for an Export component of a mediation module. Which of the following must the integration developer select to configure the '\\SSL WSTransaction\\' policy set?

- A. Only SOAP1.1/HTTP
- B. Only SOAP1.2/HTTP
- C. Only SOAP1.1/HTTP using JAX-RPC
- D. Either SOAP1.1/HTTP or SOAP1.2/HTTP

Correct Answer: D

QUESTION 3

Refer to the Exhibit.



The Life Sciences department of a company is developing a drug discovery solution in which a SelectVendor service (request-response) helps them choose between Vendor A or B to acquire drug samples. This service is called from a mediation flow using a Service Invoke primitive. The response is written to a flat file before returning to the client, invoking this mediation flow. The response must be received by the client in the same transaction. What should be the

values of '\\Preferred Interaction Style\\' at the client invoking this mediation flow, and the '\\Invocation Style\\' of ServiceInvoke primitive within the flow?

- A. Any, Any
- B. Any, Sync
- C. Synchronous, Async (with callback)
- D. Asynchronous (with deferred response), Async (with callback)

Correct Answer: B

QUESTION 4

An application containing a mediation flow has been deployed to a server. During runtime various faults are being seen in the server logs and the development team has been asked to investigate this issue.

On examination of the server logs, the team is having trouble locating where exactly in the flow the problems are occurring as the errors seem to be different each time. Examination of the mediation flow in WebSphere Integration Developer has shown that the flow currently does not have any error handling contained within it.

How should the developers BEST proceed in order to improve the flow error handling and to aid the debugging process following deployment?

- A. Use the Message Logger primitive to log messages so they can be examined.
- B. Use the Custom Mediation primitive to output extra logging information about the flow.
- C. Ensure that the Quality of Service transaction setting for the flow is set to Global.
- D. Ensure the fail terminal of each primitive is wired with a Fail primitive containing a description

Correct Answer: B

QUESTION 5

Which of the following event delivery types are supported by the WebSphere Adapters?

- A. Ordered delivery
- B. Persistent delivery
- C. Guaranteed delivery
- D. Non persistent delivery

Correct Answer: A