

# CCDAK<sup>Q&As</sup>

Confluent Certified Developer for Apache Kafka Certification  
Examination

## Pass Confluent CCDAK Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ccdak.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Confluent  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You are using JDBC source connector to copy data from a table to Kafka topic. There is one connector created with max.tasks equal to 2 deployed on a cluster of 3 workers. How many tasks are launched?

- A. 3
- B. 2
- C. 1
- D. 6

Correct Answer: C

JDBC connector allows one task per table.

---

**QUESTION 2**

What is not a valid authentication mechanism in Kafka?

- A. SASL/GSSAPI
- B. SASL/SCRAM
- C. SAML
- D. SSL

Correct Answer: C

Learn more about security here <https://kafka.apache.org/documentation/#security>

---

**QUESTION 3**

Two consumers share the same group.id (consumer group id). Each consumer will

- A. Read mutually exclusive offsets blocks on all the partitions
- B. Read all the data on mutual exclusive partitions
- C. Read all data from all partitions

Correct Answer: B

Each consumer is assigned a different partition of the topic to consume.

---

**QUESTION 4**

If I want to send binary data through the REST proxy, it needs to be base64 encoded. Which component needs to encode the binary data into base 64?

- A. The Producer
- B. The Kafka Broker
- C. Zookeeper
- D. The REST Proxy

Correct Answer: A

The REST Proxy requires to receive data over REST that is already base64 encoded, hence it is the responsibility of the producer

---

#### QUESTION 5

A kafka topic has a replication factor of 3 and min.insync.replicas setting of 2. How many brokers can go down before a producer with acks=all can't produce?

- A. 0
- B. 2
- C. 1
- D. 3

Correct Answer: C

acks=all and min.insync.replicas=2 means we must have at least 2 brokers up for the partition to be available

[CCDAK VCE Dumps](#)

[CCDAK Practice Test](#)

[CCDAK Exam Questions](#)