

# CWDP-303<sup>Q&As</sup>

Certified Wireless Design Professional

**Pass CWNP CWDP-303 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cwdp-303.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You and 10 other people are connected to a public hotspot. You issue a ping sweep on the network, but you can't find any devices on the same subnet as yours. What feature might be enabled on the WLAN infrastructure that is preventing you from communicating with other devices on that subnet?

- A. Peer-to-peer blocking
- B. OSPF external routes
- C. Band steering
- D. Load balancing

Correct Answer: A

---

**QUESTION 2**

What is the most suitable antenna option to be used when designing a WLAN infrastructure with APs mounted on a ceiling with a height of more than 20 feet and having all of the client stations used from the floor?

- A. Patch
- B. Dish
- C. Grid
- D. Low-gain dipole

Correct Answer: C

---

**QUESTION 3**

You are validating association capabilities from clients to an 802.1X/EAP secure SSID. The RADIUS server's IP address is 10.100.50.25 and the default RADIUS authentication port is used. When testing them, none of the clients are able to associate to the SSID. Troubleshooting the WLAN infrastructure, you found out that the server is up and the RADIUS service is up as well, but the authenticator is not able to communicate properly with the server. What's your next troubleshooting step?

- A. Verify that the shared secret between the authenticator and the RADIUS server is correct
- B. Reboot the clients
- C. Reboot the server
- D. Restart the RADIUS service

Correct Answer: A

---

**QUESTION 4**

Which type of authentication and encryption method is mandatory for Voice Enterprise certified devices as specified by the Wi-Fi Alliance?

- A. WPA2/AES Personal
- B. WPA2/TKIP Enterprise
- C. WPA2/AES Enterprise
- D. WPA/TKIP Personal

Correct Answer: A

---

**QUESTION 5**

When using a predictive design tool, you have selected APs with an antenna gain 3 dBi and set the transmit power of the predicted APs to 25 mW. What should be EIRP of the APs in the design?

- A. 11 dBm
- B. 6.25 mW
- C. 125 mW D. 17 dBm

Correct Answer: D

[CWDP-303 PDF Dumps](#)

[CWDP-303 Practice Test](#)

[CWDP-303 Exam Questions](#)