

CWDP-303^{Q&As}

Certified Wireless Design Professional

Pass CWNP CWDP-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cwdp-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Why should band steering algorithms allow stations to connect to the 2.4 GHz band after some number of ignored Probe Requests?

- A. Because the FCC requires it.
- B. Because some clients are persistent clients that will not move on to the 5 GHz band.
- C. Because the 802.11 standard requires it.
- D. Because the AP will experience a buffer overflow if they do not eventually respond with a Probe Response.

Correct Answer: B

QUESTION 2

A museum wants to offer Wi-Fi to its visitors. One of their requirements is to have the APs blend into the design of the museum. What should you do to meet this requirement?

- A. Lock the AP inside of a metal box
- B. Place the APs in between walls and I-beams
- C. Use an 802.11b AP, so it looks old enough to be in a museum
- D. Use a plastic cover that could blend in with the environment

Correct Answer: D

Reference: https://www.webmasterworld.com/webmaster_hardware/4263823.htm

QUESTION 3

What is the minimum PoE budget needed on a switch to support 6 (six) APs that can only be powered using IEEE 802.3at if no other details are provided?

- A. 320 W
- B. 60 W
- C. 180 W
- D. 240 W

Correct Answer: B

QUESTION 4

In addition to a copy of your design, which tools should you use to ensure the installation team deploys APs where you have them designed to be located?

- A. GPS and a map
- B. RF spectrum analyzer and packet capturing software
- C. Ladder and a pen
- D. Camera and marking tools

Correct Answer: A

QUESTION 5

What is the most cost-effective way to accurately measure the height of a ceiling when ladder use is not allowed?

- A. Estimate the height based on known object sizes
- B. Gather measurements from other objects and do the math
- C. Rent a lift-cart to lift you up to the ceiling
- D. Use a laser measure to measure the distance from the floor to the ceiling

Correct Answer: D

[CWDP-303 VCE Dumps](#)

[CWDP-303 Practice Test](#)

[CWDP-303 Braindumps](#)