

# CWNA-107<sup>Q&As</sup>

Certified Wireless Network Administrator

**Pass CWNP CWNA-107 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cwna-107.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

You are deploying a WLAN monitoring solution that utilizes distributed sensor devices. Where should sensors be deployed for best results? Choose the single best answer.

- A. Every 20 feet and alongside each AP
- B. Closer to the APs
- C. Closer to the client devices
- D. IN critical areas where WLAN performance must be high

Correct Answer: C

---

### QUESTION 2

Which one of the following is not a factor considered when calculating the Link Budget for an outdoor point-to-point WLAN bridge link?

- A. MU-MIMO capabilities of the bridges
- B. Receive antenna gain
- C. Transmit power
- D. Operating frequency

Correct Answer: A

---

### QUESTION 3

When considering data rates available in HT and VHT PJY devices, in addition to the modulation, coding, channel width, and spatial streams, what impacts the data rate according to the MCS tables?

- A. The Frequency band in use
- B. The client drivers
- C. The guard interval
- D. The height of the antennas

Correct Answer: C

Reference <https://arxiv.org/pdf/1702.03257.pdf>

---

### QUESTION 4

A standard PoE injector is used to power an access point requiring 802.3at. CAT6 cabling is in use. What is the maximum distance supported between the access point and the Ethernet switch with the use of a midspan power injector?

- A. 100 meters
- B. 300 meters
- C. 328 meters
- D. 200 meters

Correct Answer: A

---

#### QUESTION 5

You are troubleshooting an issue reported by several wireless users. The problem is contained to one cell (several users connected to the same AP). You manage the WLAN and no other network devices. After analysis it appears to be a switch problem. What action should be taken?

- A. Create a plan of action and implement it
- B. Escalate the problem to the network administration team
- C. Document the results and close the case
- D. Escalate the problem to the wireless vendor support staff

Correct Answer: B

[CWNA-107 PDF Dumps](#)

[CWNA-107 VCE Dumps](#)

[CWNA-107 Study Guide](#)