

CWSP-206^{Q&As}

CWSP Certified Wireless Security Professional

Pass CWNP CWSP-206 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cwsp-206.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

While seeking the source of interference on channel 11 in your 802.11n WLAN running within 2.4 GHz, you notice a signal in the spectrum analyzer real time FFT display. The signal is characterized with the greatest strength utilizing only 1-2 megahertz of bandwidth and it does not use significantly more bandwidth until it has weakened by roughly 20 dB. At approximately -70 dB, it spreads across as much as 35 megahertz of bandwidth. What kind of signal is described?

- A. A high-power ultra wideband (UWB) Bluetooth transmission.
- B. A 2.4 GHz WLAN transmission using transmit beam forming.
- C. A high-power, narrowband signal.
- D. A deauthentication flood from a WIPS blocking an AP.
- E. An HT-OFDM access point.
- F. A frequency hopping wireless device in discovery mode.

Correct Answer: C

QUESTION 2

A network security auditor is preparing to perform a comprehensive assessment of an 802.11ac network's security. What task should be performed at the beginning of the audit to maximize the auditor's ability to expose network vulnerabilities?

- A. Identify the IP subnet information for each network segment.
- B. Identify the manufacturer of the wireless infrastructure hardware.
- C. Identify the skill level of the wireless network security administrator(s).
- D. Identify the manufacturer of the wireless intrusion prevention system.
- E. Identify the wireless security solution(s) currently in use.

Correct Answer: E

QUESTION 3

For which one of the following purposes would a WIPS not be a good solution?

- A. Enforcing wireless network security policy.
- B. Detecting and defending against eavesdropping attacks.
- C. Performance monitoring and troubleshooting.
- D. Security monitoring and notification.

Correct Answer: B

QUESTION 4

Which one of the following is not a role defined in the 802.1X authentication procedures used in 802.11 and 802.3 networks for port-based authentication?

- A. AAA Server
- B. Authentication Server
- C. Supplicant
- D. Authenticator

Correct Answer: A

QUESTION 5

The IEEE 802.11 standard defined Open System authentication as consisting of two auth frames and two assoc frames. In a WPA2-Enterprise network, what process immediately follows the 802.11 association procedure?

- A. 802.1X/ EAP authentication
- B. Group Key Handshake
- C. DHCP Discovery
- D. RADIUS shared secret lookup
- E. 4-Way Handshake
- F. Passphrase-to-PSK mapping

Correct Answer: A

[Latest CWSP-206 Dumps](#)

[CWSP-206 Practice Test](#)

[CWSP-206 Braindumps](#)