

DCA^{Q&As}

Docker Certified Associate (DCA) Exam

Pass Docker DCA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/dca.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Docker
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

After creating a new service named `http`, you notice that the new service is not registering as healthy. How do you view the list of historical tasks for that service by using the command line?

- A. `docker inspect http`
- B. `docker service inspect http`
- C. `docker service ps http`
- D. `docker ps http`

Correct Answer: C

QUESTION 2

The Kubernetes yaml shown below describes a networkPolicy.

```
... yaml
apiVersion: networking.k8s.io/v1
kind: NetworkPolicy
metadata:
  name: dca
  namespace: default
spec:
  podSelector:
    matchLabels:
      tier: backend
  ingress:
  - from:
    - podSelector:
        matchLabels:
          tier: api
...

```

Will the networkPolicy BLOCK this traffic?

Solution: a request issued from a pod lacking the tier: api label, to a pod bearing the tier: backend label

- A. Yes
- B. No

Correct Answer: A

QUESTION 3

You are pulling images from a Docker Trusted Registry installation configured to use self-signed certificates, and this error appears:

```
\\x509: certificate signed by unknown authority\\'
```

You already downloaded the Docker Trusted Registry certificate authority certificate from `https://dtr.example.com/ca`.

How do you trust it? (Select two.)

- A. Place the certificate in `\\'/etc/docker/dtr/dtr.example.com.crt\\'` and restart the Docker daemon on all cluster nodes.
- B. Place the certificate in your OS certificate path, trust the certificate system-wide, and restart the Docker daemon across all cluster nodes.
- C. Pass `\\'-trust-certificate ca.crt\\'` to the Docker client.
- D. Pass `--insecure-registry` to the Docker client.
- E. Place the certificate in `\\'/etc/docker/certs.d/dtr.example.com/ca.crt\\'` on all cluster nodes.

Correct Answer: DE

QUESTION 4

You want to create a container that is reachable from its host's network. Does this action accomplish this? Solution: Use network attach to access the containers on the bridge network

- A. Yes
- B. No

Correct Answer: B

QUESTION 5

Is this the purpose of Docker Content Trust? Solution: Verify and encrypt Docker registry TLS.

- A. Yes
- B. No

Correct Answer: A