

# DES-4421<sup>Q&As</sup>

Specialist - Implementation Engineer, PowerEdge MX Modular Exam

**Pass EMC DES-4421 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/des-4421.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**


When performing "A1 the Box" management, what must be done to successfully connect to the Management Module?

- A. Configure PuTTY for a serial connection
- B. Change the baud rate to 128000
- C. Connect cables to the KVM
- D. Attach standard A-to-A USB cable to a laptop

Correct Answer: A

**QUESTION 2**

Refer to the exhibit.



What is shown?

- A. MX5000s
- B. MX5108n
- C. MX5016s
- D. MXG610s

Correct Answer: C

**QUESTION 3**

Which feature requires an iDRAC Enterprise license for an MX sled?

- A. iDRAC Service Module

- B. Last Crash Screen
- C. Group Manager
- D. Storage Management

Correct Answer: C

Reference: [https://i.dell.com/sites/csdocuments/Product\\_Docs/en/poweredge-mx740c-technical-guide.pdf?newtab=true](https://i.dell.com/sites/csdocuments/Product_Docs/en/poweredge-mx740c-technical-guide.pdf?newtab=true) (p.9)

---

#### QUESTION 4

The iSM is available under which license(s)?

- A. OpenManage Enterprise-Modular
- B. iDRAC Express and iDRAC Enterprise
- C. iDRAC Enterprise only
- D. iDRAC Express only

Correct Answer: B

---

#### QUESTION 5

In an MX7000, which components are cooled by the rear fans?

- A. Fabric A, B, and C IOMs only
- B. All compute and storage sleds
- C. Management Modules only
- D. Fabric A, B, and C IOMs and the Management Modules

Correct Answer: D

Reference: <http://bladesmadesimple.com/2018/08/a-first-look-at-the-dell-emc-poweredge-mx/>

[Latest DES-4421 Dumps](#)

[DES-4421 PDF Dumps](#)

[DES-4421 VCE Dumps](#)