

DEX-450^{Q&As}

Programmatic Development using Apex and Visualforce in Lightning

Pass Salesforce DEX-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/dex-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A developer declared a class as follow.

```
public class wysiwyg { // Properties and methods including DML }
```

Which invocation of a class method will obey the organization-wide defaults and sharing settings for the running user in the Salesforce Organization?

- A. An Apex Trigger that invokes a helper method in this class
- B. A Visualforce page with an Apex controller that invokes a method in this class
- C. A user on an external system that has an API call into Salesforce that invokes a method in this class
- D. A developer using the Developer Console that invokes a method in this class from the execute anonymous window

Correct Answer: D

QUESTION 2

A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing. What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Triggers
- B. HTTP Callouts
- C. Apex Controllers
- D. Anonymous Blocks

Correct Answer: D

QUESTION 3

How can a developer warn users of SOQL governor limit violations in a trigger?

- A. Use `ApexMessage.Message()` to display an error message after the number of SOQL queries exceeds the limit.
- B. Use `PageReference.setRedirect()` to redirect the user to a custom Visualforce page before the number of SOQL queries exceeds the limit.
- C. Use `Messaging.SendEmail()` to continue the transaction and send an alert to the user after the number of SOQL queries exceeds the limit.
- D. Use `Limits.getQueries()` and display an error message before the number of SOQL queries exceeds the limit.

Correct Answer: D

QUESTION 4

Universal Containers (UC) decided it will not to send emails to support personnel directly from Salesforce in the event that an unhandled exception occurs. Instead, UC wants an external system be notified of the error. What is the appropriate publish/subscribe logic to meet these requirements?

- A. Publish the error event using the `addError()` method and have the external system subscribe to the event using CometD.
- B. Publish the error event using the `Eventbus.publish()` method and have the external system subscribe to the event using CometD.
- C. Have the external system subscribe to the `BatchApexError` event, no publishing is necessary.
- D. Publish the error event using the `addError()` method and write a trigger to subscribe to the event and notify the external system.

Correct Answer: B

QUESTION 5

A developer has the following code block:

```
public class PaymentTax {public static decimal SalesTax = 0.0875;} trigger OpportunityLineItemTrigger on OpportunityLineItem (before insert, before update) {PaymentTax PayTax = new PaymentTax();decimal ProductTax = ProductCost * XXXXXXXXXXXX;}
```

To calculate the `productTax`, which code segment would a developer insert at the `XXXXXXXXXX` to make the value the class variable `SalesTax` accessible within the trigger?

- A. `SalesTax`
- B. `PayTax.SalesTax`
- C. `PaymentTax.SalesTax`
- D. `OpportunityLineItemTngger.SalesTax`

Correct Answer: C

[DEX-450 PDF Dumps](#)

[DEX-450 Exam Questions](#)

[DEX-450 Braindumps](#)