

E05-001^{Q&As}

Information Storage and Management v3

Pass EMC E05-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e05-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is a benefit of configuring EX_Ports on each Fibre Channel over IP (FCIP) gateway in an FCIP tunnel implementation?

- A. Enables FC-FC routing through the FCIP tunnel with outmerging the fabrics
- B. Merges the fabrics at either end of the FCIP tunnel to create a single large fabric
- C. Transfers VSAN tagged traffic over the FCIP tunnel without FC protocol overhead
- D. Creates eight virtual FC links on the FCIP tunnel that can be paused and restarted independently

Correct Answer: A

QUESTION 2

A customer has a requirement to perform a backup each night. However, the customer has a limited amount of time for backups to run on week nights, Monday through Friday evenings.

Which backup granularity type is recommended to meet the backup window for those nights?

- A. Incremental
- B. Cumulative
- C. Full
- D. Differential

Correct Answer: C

QUESTION 3

How does an iSCSI initiator discover its targets?

- A. Initiator sends a query to an iSNS server for a list of available targets
- B. Initiator receives the iSCSI names of its targets from the primary DNS server
- C. Initiator uses the data center bridging exchange protocol for the discovery
- D. Initiator sends SCSI commands and the target responds by sending its name

Correct Answer: A

QUESTION 4

What is the purpose of monitoring capacity in a storage infrastructure?

- A. Tracking the amount of storage infrastructure resources used and available
- B. Evaluating utilization of components and identifying bottlenecks
- C. Tracking configuration changes to the storage infrastructure elements
- D. Identifying component failures that may lead to service unavailability

Correct Answer: A

QUESTION 5

What is a characteristic of software-defined networking?

- A. Abstracts and separates the control plane from the data plane
- B. Data plane sends instructions to the control plane to handle network traffic
- C. Controller in network switches takes over data plane functions
- D. External software combines both data plane and control plane functions

Correct Answer: A

[E05-001 PDF Dumps](#)

[E05-001 Exam Questions](#)

[E05-001 Braindumps](#)