

# E20-559<sup>Q&As</sup>

Isilon Solutions Specialist Exam for Storage Administrators

## Pass EMC E20-559 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-559.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What can be modified in the subnet settings on an Isilon cluster?

- A. VLAN ID
- B. SmartConnect zone name
- C. Interface membership
- D. Access zone membership

Correct Answer: A

---

**QUESTION 2**

How are events communicated from the CELOG daemon?

- A. Sent by the CELOG notifications service
- B. Sent by the MCP
- C. Sent using SNMP only
- D. Sent over ESRS only

Correct Answer: A

---

**QUESTION 3**

A storage administrator has an Isilon cluster consisting of 10 nodes with identical hardware and are members of a single node pool. A 1024Kb file stored on that cluster is protected at N+3n. What is the total number of copies of the file's metadata?

- A. 3
- B. 4
- C. 6
- D. 5

Correct Answer: B

---

**QUESTION 4**

How many Isilon Job Engine v2.0 components will be present on a single node?

- A. One director

- B. Two managers per job
- C. Two workers per task
- D. Three coordinators

Correct Answer: A

---

#### QUESTION 5

When using the same Active Directory domain for multiple access zones on an Isilon cluster, which configuration must be considered?

- A. Each individual access zone must be configured with the Active Directory domain
- B. All configured access zones will use the system zone's configured Active Directory domain
- C. Each access zone requires a unique Active Directory domain
- D. Each access zone must be configured using the same SmartConnect zone and pool

Correct Answer: A

[E20-559 PDF Dumps](#)

[E20-559 Study Guide](#)

[E20-559 Braindumps](#)