E22-258^{Q&As}

XtremIO 3.x Flash Storage Solutions

Pass EMC E22-258 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/e22-258.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

![Pass2Lead](https://Pass2Lead.com)
QUESTION 1

What is the number of BBUs required for an XtremIO dual X-Brick cluster?

A. 2

B. 4

C. 6

D. 8

Correct Answer: A

QUESTION 2

Which parameter can be changed to improve performance on an XtremIO array?

A. HBA execution throttle

B. RAID level

C. Cache size

D. Target port affinity

Correct Answer: A

QUESTION 3

What is the default disk configuration for an XtremIO DAE?

A. A single disk group in a 23+2 configuration

B. Five private RAID Groups of five disks each

C. A group of 12 disks and another of 13 disks

D. Three private RAID Groups of eight disks each with a spare

Correct Answer: A

QUESTION 4

Which environment consists primarily of small, random I/O with high amounts of redundant data, ideal for XtremIO?

A. Virtual server

B. Database and analytics

![Pass2Lead](https://Pass2Lead.com)
C. Backup and recovery

D. Replication

Correct Answer: A

QUESTION 5

Which resource should be used for any installation procedures performed on an XtremIO system?

A. SolVe

B. EMC Powerlink

C. EMC Community

D. Salesforce.com

Correct Answer: A

[E22-258 PDF Dumps](#)   [E22-258 Exam Questions](#)   [E22-258 Braindumps](#)