

E22-258^{Q&As}

XtremIO 3.x Flash Storage Solutions

Pass EMC E22-258 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e22-258.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

XtremIO storage is assigned to a host. If the host has the HBA execution throttle set to 256, what effect will this have on the system?

- A. Queue depth for each HBA port will be set to 256
- B. Each LUN visible to the port will have a queue depth set to 256
- C. Aggregate queue depth for all HBA ports will be set to 256
- D. Each LUN visible to the port will have a queue depth set to 256 /

Correct Answer: A

QUESTION 2

Which RJ45 Ethernet interface should be used to initially configure an XtremIO storage controller?

- A. RJ45 Ethernet interface 1
- B. RJ45 Ethernet interface 2
- C. RJ45 Ethernet interface 3
- D. RJ45 Ethernet interface 4

Correct Answer: B

QUESTION 3

When deploying an ESRS IP Client solution, which software component should be installed on the XtremIO Management Server (XMS)?

- A. DC Agent
- B. FTPS
- C. DNS
- D. NTP

Correct Answer: A

QUESTION 4

How many minutes of information can be displayed by the latency monitor with the XtremIO GUI?

- A. 5

B. 10

C. 15

D. 30

Correct Answer: D

QUESTION 5

What is the default disk configuration for an XtremIO DAE?

A. A single disk group in a 23+2 configuration

B. Five private RAID Groups of five disks each

C. A group of 12 disks and another of 13 disks

D. Three private RAID Groups of eight disks each with a spare

Correct Answer: A

[E22-258 VCE Dumps](#)

[E22-258 Study Guide](#)

[E22-258 Exam Questions](#)