

EX294^{Q&As}

Red Hat Certified Engineer (RHCE) exam for Red Hat Enterprise Linux
8 Exam

Pass RedHat EX294 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ex294.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

SIMULATION

Create the users named jeff, marion, harold

A.

Correct Answer: Please see explanation

QUESTION 2

Install and configure Ansible on the control-node control.realmX.example.com as follows:

--> Install the required packages

--> Create a static inventory file called /home/admin/ansible/inventory as follows:

node1.realmX.example.com is a member of the dev host group

node2.realmX.example.com is a member of the test host group

node3.realmX.example.com and node4.realmX.example.com are members of the prod host group

node5.realmX.example.com is a member of the balancers host group.

prod group is a member of the webserver host group

--> Create a configuration file called ansible.cfg as follows:

--> The host inventory file /home/admin/ansible/inventory is defined

--> The location of roles used in playbooks is defined as /home/admin/ansible/ roles

A. Answer: See the for complete Solution below.

Correct Answer: A

Solution as: Through physical host, login to workstation.lab.example.com with user root. # ssh root@workstation.lab.example.com # hostname workstation.lab.example.com # yum install platform-python* # su - admin # pwd /home/admin/ # vim .vimrc # mkdir -p ansible/roles # cd ansible # vim inventory [dev] servera.lab.example.com [test] serverb.example.com [prod] serverc.example.com

serverd.example.com [balancer] serverd.lab.example.com [webserver:children] prod !wq # vim ansible.cfg [defaults] inventory = ./inventory role_path = ./roles remote_user = admin ask_pass = false [privilege_escalation] become = true become_method = sudo become_user = root become_ask_pass = false !wq # ansible all --list-hosts

QUESTION 3

SIMULATION

Configure the web server, which can be accessed by <http://station.domain30.example.com>.

A.

Correct Answer: Please see explanation

QUESTION 4

Please set the selinux status as enforcing.

A. Answer: See the for complete Solution below.

Correct Answer: A

```
# getenforce 1
# vim /etc/sysconfig/selinux
    SELINUX=enforcing
```

QUESTION 5

Create a file in `/home/sandy/ansible/` called `report.yml`. Using this playbook, get a file called `report.txt` (make it look exactly as below). Copy this file over to all remote hosts at `/root/report.txt`. Then edit the lines in the file to provide the real information of the hosts. If a disk does not exist then write NONE.

report.txt

```
HOST=inventory hostname
MEMORY=total memory in mb
BIOS=bios version
VDA_DISK_SIZE=disk size
VDB_DISK_SIZE=disk size
```

A. Answer: See the for complete Solution below.

Correct Answer: A

Solution as:

```
- name: edit file
hosts: all
tasks:
  - name: copy file
    copy: report.txt
    dest: /root/report.txt
  - name: change host
    lineinfile:
      regex: ^HOST
      line: HOST={{ansible_hostname}}
      state: present
      path: /root/report.txt
  - name: change mem
    lineinfile:
      line: MEMORY={{ansible_memtotal_mb}}
      regex: ^MEMORY
      state: present
      path: /root/report.txt
```

```
- name: change bios
  lineinfile:
    line: BIOS={{ansible_bios_version}}
    regex: ^BIOS
    state: present
    path: /root/report.txt
- name: change vda
  lineinfile:
    line: VDA_DISK_SIZE ={%if ansible_devices.vda is defined%}{{ansible_devices.
vda.size}}{%else%}NONE{%endif%}
    regex: ^VDA_DISK_SIZE
    state: present
    path: /root/report.txt
- name: change vdb
  lineinfile:
    line: VDB_DISK_SIZE ={%if ansible_devices.vdb is defined%}{{ansible_devices.
vdb.size}}{%else%}NONE{%endif%}
    regex: ^VDB_DISK_SIZE
    state: present
    path: /root/report.txt
```

[Latest EX294 Dumps](#)

[EX294 PDF Dumps](#)

[EX294 Exam Questions](#)