

EX294^{Q&As}

Red Hat Certified Engineer (RHCE) exam for Red Hat Enterprise Linux
8 Exam

Pass RedHat EX294 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ex294.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Install and configure ansible

User bob has been created on your control node. Give him the appropriate permissions on the control node. Install the necessary packages to run ansible on the control node.

Create a configuration file `/home/bob/ansible/ansible.cfg` to meet the following requirements:

The roles path should include `/home/bob/ansible/roles`, as well as any other path that may be required for the course of the sample exam.

The inventory file path is `/home/bob/ansible/inventory`.

Ansible should be able to manage 10 hosts at a single time.

Ansible should connect to all managed nodes using the bob user.

Create an inventory file for the following five nodes:

`node1.example.com`

`node2.example.com`

`node3.example.com`

`node4.example.com`

`node5.example.com`

Configure these nodes to be in an inventory file where node1 is a member of group dev, node2 is a member of group test, node3 is a member of group proxy, node4 and node 5 are members of group prod. Also, prod is a member of group

`webservers`.

A. Answer: See the for complete Solution below.

Correct Answer: A

```
In /home/sandy/ansible/ansible.cfg [defaults] inventory=/home/sandy/ansible/inventory
roles_path=/home/sandy/ansible/roles remote_user= sandy host_key_checking=false [privilegeescalation] become=true
become_user=root become_method=sudo become_ask_pass=false
```

```
In /home/sandy/ansible/inventory [dev] node 1 .example.com [test] node2.example.com [proxy] node3 .example.com
[prod] node4.example.com node5 .example.com [webservers:children] prod
```

QUESTION 2

Create the users named jeff, marion, harold

A. Answer: See the for complete Solution below.

Correct Answer: A

1.

useradd jeff

2.

useradd marion

3.

useradd harold

Note:

useradd command is used to create the user.

All user's information stores in /etc/passwd and user's shadow password stores in /etc/shadow.

QUESTION 3

```
# yum install -y iscsi*
# chkconfig iscsid on
# iscsiadm -m discovery -t st -p 172.24.30.100
# iscsiadm -m node -T ign.2011 -p 172.24.30.100 -l
# dmesg|tail
# fdisk /dev/sdb9
-----
# mkfs.ext3 /dev/sdb9
# cd /mnt
# mkdir data
# blkid /dev/sdb1 (Check UUID number)

# vim /etc/fstab
    UUID=xxxxxxxxxxxxxxxxxxxx /mnt/data ext3 _netdev,defaults 0 0
0
# mount -a
# mount
```

OR

```
# vim /dev/fstab
    UUID=xxxxxxxxxxxxxxxxxxxx /mnt/data ext3 defaults 0 0
# chkconfig netfs2 on
```

SIMULATION There are two different networks 192.168.0.0/24 and 192.168.1.0/24. Where 192.168.0.254 and 192.168.1.254 IP Address are assigned on Server. Verify your network settings by pinging 192.168.1.0/24 Network's Host.

A.

Correct Answer: Please see explanation

QUESTION 4

Create the group named sysusers.

A. Answer: See the for complete Solution below.

Correct Answer: A

1. groupadd sysusers groupadd command is used to create the group and all group information is stored in /etc/group file.

QUESTION 5

Install and configure Ansible on the control-node control.realmX.example.com as follows:

--> Install the required packages

--> Create a static inventory file called /home/admin/ansible/inventory as follows:

node1.realmX.example.com is a member of the dev host group

node2.realmX.example.com is a member of the test host group

node3.realmX.example.com and node4.realmX.example.com are members of the prod host group

node5.realmX.example.com is a member of the balancers host group.

prod group is a member of the webserver host group

--> Create a configuration file called ansible.cfg as follows:

--> The host inventory file /home/admin/ansible/inventory is defined

--> The location of roles used in playbooks is defined as /home/admin/ansible/ roles

A. Answer: See the for complete Solution below.

Correct Answer: A

Solution as: Through physical host, login to workstation.lab.example.com with user root. # ssh

```
root@workstation.lab.example.com # hostname workstation.lab.example.com # yum install platform-python* # su -  
admin # pwd /home/admin/ # vim .vimrc # mkdir -p ansible/roles # cd ansible # vim inventory [dev]  
servera.lab.example.com [test] serverb.example.com [prod] serverc.example.com
```

```
serverd.example.com [balancer] serverd.lab.example.com [webservers:children] prod !wq # vim ansible.cfg [defaults]  
inventory = ./inventory role_path = ./roles remote_user = admin ask_pass = false [privilege_escalation] become = true  
become_method = sudo become_user = root become_ask_pass = false !wq # ansible all --list-hosts
```

[Latest EX294 Dumps](#)

[EX294 PDF Dumps](#)

[EX294 Braindumps](#)