

FPGEE^{Q&As}

Foreign Pharmacy Graduate Equivalency Examination

Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/fpgee.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NABP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Factors that determine bioequivalence of two brands of a drug include:

- I. the taste of the preparations
- II. the physical appearance of the preparations
- III. pharmacokinetic parameters of the preparations

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. I, II and III

Correct Answer: B

QUESTION 2

All of the following drugs will increase the heart rate directly or by reflex when injected intravenously into a young healthy adult, EXCEPT:

- A. isoproterenol
- B. histamine
- C. phentolamine
- D. phenylephrine
- E. atropine

Correct Answer: D

QUESTION 3

Atropine is the primary example of an important class of muscarinic antagonists which are esters of tropic acid and which contain:

- A. aniline and piperidine rings.
- B. aniline and piperazine rings.
- C. aniline and pyrrolidine rings.
- D. pyrrolidine and piperazine rings.
- E. pyrrolidine and piperidine rings.

Correct Answer: E

QUESTION 4

Which of the following is the predominant intracellular element?

- A. Sodium
- B. Magnesium
- C. Potassium
- D. Calcium
- E. Phosphorous

Correct Answer: B

QUESTION 5

Degradation of hemoglobin in mammal involves:

- A. Formation of bile pigments
- B. Formation of urobilinogen
- C. Formation of biliverdin
- D. Non-oxidative cleavage of phosphirin ring
- E. All are correct

Correct Answer: B

[Latest FPGEE Dumps](#)

[FPGEE VCE Dumps](#)

[FPGEE Practice Test](#)