

GE0-803^{Q&As}

Genesys Certified Professional 8 System Consultant, Voice Platform
(GCP8 - CVP)

Pass Genesys GE0-803 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ge0-803.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Genesys
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following features can be changed using the Element Management System (EMS) GUI when monitoring a VCS?

- A. The log level for each process
- B. The default directory for logging
- C. The Behind or In-Front configuration for that particular VCS
- D. The speech recognition vendor for that particular VCS

Correct Answer: A

QUESTION 2

Is ISCC function used by IVR-TServer in network mode ? Choose the best statement.

- A. Yes because the IVR is like a second site
- B. No because the IVR is integrated in the real site
- C. No because ISCC function doesn't exist in IVR-TServer

Correct Answer: A

QUESTION 3

What type of request does the Media Gateway send to GVP's SIP Session Manager?

- A. INVITE
- B. ACK
- C. MRCP
- D. T-Events

Correct Answer: A

QUESTION 4

Which of the following GVP 8 components do NOT support High Availability?

- A. MCP and CCP
- B. Reporting Server

- C. Resource Manager
- D. SIP Server
- E. None of the above. All of these components DO support high availability.

Correct Answer: C

QUESTION 5

Refer to the PopGateway log entry. What event has occurred?

```
[2005/04/28 19:57:45.984] FBC VxmlUtil.cpp:3481 C=12:L=1:U=321 VXML  
Error: event(error), message{Application that is not provisioned to use  
ASR is trying to access ASR resource}, element(Leaf Document->vxml-  
>form1->field1->prompt1 @ http://10.10.9.10/PROMPT1%2Easp), current url  
(http://10.10.9.10/PROMPT1%2Easp)
```

- A. The configured IVR Profile was provisioned with ASR Enabled in EMPS.
- B. The configured IVR Profile was not provisioned with ASR Enabled in EMPS.
- C. The configured IVR Profile was provisioned with TTS Enabled in EMPS.
- D. The configured IVR Profile was not provisioned with TTS Enabled in EMPS.

Correct Answer: B

[Latest GE0-803 Dumps](#)

[GE0-803 PDF Dumps](#)

[GE0-803 Brindumps](#)