

H11-879^{Q&As}

HCIE-Collaboration (Written) V2.0

Pass Huawei H11-879 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h11-879.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following signaling is included in a SIP call? () (multiple choice)

- A. Invite
- B. 200 OK
- C. ACK
- D. Set UP

Correct Answer: ABC

QUESTION 2

The AR router provides SIP signaling tracking function, which needs to be checked in the diagnostic view. () Correct or Wrong

- A. Correct
- B. Wrong

Correct Answer: A

QUESTION 3

When performing site backup on the SMC2.0, there is no need to do any configuration on the terminal side, just do the corresponding configuration on the SMC2.0. () Correct or Wrong

- A. Correct
- B. Wrong

Correct Answer: A

QUESTION 4

In the remote disaster recovery scenario, when the master node (U1981) fails, POTS user A of a branch node (The branch site equipment is U1911). If you make an outgoing call to the local PSTN user B through the branch node, the network element through which the SIP signaling of the call passes is ().

- A. U1911->Preparation U1981->U1911
- B. Prepare U1981->U1911
- C. U1911
- D. U1911->Main U1981->Backup U1981->U1911

Correct Answer: A

QUESTION 5

The interconnection between two U1900 series unified gateways can only be achieved through SIP trunking. ()

A. Right

B. Wrong

Correct Answer: B

[Latest H11-879 Dumps](#)

[H11-879 PDF Dumps](#)

[H11-879 VCE Dumps](#)