

H12-221^{Q&As}

HCIP-Routing & Switching-IERS V2.5

Pass Huawei H12-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h12-221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which statements regarding the range of AS number are true? (Select 3 answers)

- A. If 2-byte AS values are supported, the private AS number ranges from 32768 to 65535.
- B. If 2-byte AS values are supported, the private AS number ranges from 64512 to 65535.
- C. If 2-byte AS values are supported, the AS number ranges from 1 to 65535.
- D. If 4-byte AS values are supported, then the 4-byte AS number is in the x.y format. Here, "x" and "y" are integers ranging from 1 to 65535 and 0 to 65535 respectively.

Correct Answer: BCD

QUESTION 2

The peer connect-interface" command is recommended to establish peer relationships between two routers connected through "multiple" links.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 3

ACL rules are matched based on the configured order only.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 4

BGP peers are automatically discovered by exchanging multicast packets.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 5

Which of the following statements regarding comparison between ACL and IP-Prefix are true? (Select 2 answers)

- A. Both ACL and IP-Prefix can perform route filtering
- B. Both ACL and IP-Prefix can perform data packet filtering
- C. ACL can perform data packet filtering and route filtering, but IP-Prefix can only perform route filtering
- D. IP-Prefix can perform data packet filtering and route filtering, but ACL can only perform route filtering

Correct Answer: AC

[H12-221 PDF Dumps](#)

[H12-221 Practice Test](#)

[H12-221 Braindumps](#)