

# H12-222<sup>Q&As</sup>

HCIP-Routing & Switching-IENP V2.5

## Pass Huawei H12-222 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h12-222.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which information of labels is used for simple traffic classification?

- A. DSCP priority
- B. IP precedence
- C. MPLS EXP priority
- D. 802.1p priority

Correct Answer: C

---

**QUESTION 2**

MPLS supports forwarding equivalence class (FEC). Which of the following cannot be used as a FEC allocation standard?

- A. Fragment offset
- B. Destination address
- C. Application protocol
- D. Class of Service (CoS)

Correct Answer: A

---

**QUESTION 3**

Complex traffic classification means that packets are classified based on the quintuple including the source and destination addresses, source and destination port numbers, and protocol type. It is usually deployed on the network core.

- A. TRUE
- B. FALSE

Correct Answer: B

---

**QUESTION 4**

MPLS VPN is used to solve some limitations of traditional VPN technology. Which are the major limitation that MPLS VPN solves?

- A. Private routes cannot communicate with each other.
- B. Leased lines are expensive.

- C. Bandwidth resources cannot be fully used.
- D. The address space is overlapping.

Correct Answer: D

---

#### QUESTION 5

Which of the following statements regarding RT are true? (Multiple Choice)

- A. Each VPN instance is associated with one or more pairs of VPN Target attribute, used to control VPN routing information advertisement and reception between sites.
- B. Ts are classified into two types: Export Target and Import Target.
- C. Export Target and Import Target are independent from each other and support multiple values to implement flexible VPN access control.
- D. The RT value is advertised to neighbors through the BGP extended community attribute in Update messages.

Correct Answer: ABCD

[Latest H12-222 Dumps](#)

[H12-222 PDF Dumps](#)

[H12-222 Exam Questions](#)