

# H12-261<sup>Q&As</sup>

HCIE-Routing & Switching (Written) V3.0

## Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h12-261.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

If the interface of the router is out of A GigabitEthernet0/0/0 OSPFv3 Hello Option 0x000013, the field value is the following.

The correct one is more ( )

- A. The interface of the router belongs to the area A GigabitEthernet0/0/0 NSSA
- B. The router will participate in the routing calculation. A GigabitEthernet0/0/0 IPv6 meter
- C. Router is capable A OSPFv3 standby forwarding device
- D. Router Support Flooding

Correct Answer: BCD

---

### QUESTION 2

On a RIPng network, configure a router to advertise the default route to the entire network. Which of the following configurations is correct?

- A. [Huawei]ripng 1 [Huawei-ripng-1]import-route static cost 2 [Huawei-ripng-1]quit [Huawei]ipv6 route-static :: 0 NULL0
  - B. [Huawei]ripng 1 [Huawei-ripng-1]import-route static cost 2 [Huawei-ripng-1]quit [Huawei]ipv6 route-static :: 0 2001:19:9
  - C. [Huawei]ripng 1 [Huawei-ripng-1] ripng default-route originate [Huawei-ripng-1]quit
  - D. [Huawei]interface GigabitEthernet0/0/1 [Huawei-GigabitEthernet0/0/1]ipv6 enable [Huawei- GigabitEthernet0/0/1]ipv6 address 2001::12::1/64 [Huawei-GigabitEthernet0/0/1]ripng 1 enable [Huawei-GigabitEthernet0/0/1]ripng default-route originate
- [Huawei-GigabitEthernet0/0/1]quit

Correct Answer: D

---

### QUESTION 3

The HTTP protocol is based on TCP. Therefore, TCP flood attacks and HTTP flood attacks are defended against in the same way.

- A. TRUE
- B. FALSE

Correct Answer: B

---

**QUESTION 4**

Which of the following AS-paths can be matched by the AS-Path filter configured using the ip as- path-filter 1 permit ^12.\*74\$ command?

- A. AS\_Path (32 1274 23)
- B. AS\_Path (125 328 74 23)
- C. AS\_Path (123 621 743 2374)
- D. AS\_Path (321 12 2374)

Correct Answer: C

---

**QUESTION 5**

What is the role of (in MPLS VPN RT?)

- A. Allow the PE VPNv4 VRF to decide which routes to route to a specific guide.
- B. Allow the PE VPNv4 VRF to decide which routes will not be routed to a specific guide.
- C. Allow the CE VPNv4 VRF to decide which routes to route to a specific guide.
- D. Allow the CE VPNv4 VRF to decide which routes will not be routed to a specific guide.

Correct Answer: AD

[Latest H12-261 Dumps](#)

[H12-261 PDF Dumps](#)

[H12-261 Braindumps](#)