

H12-321^{Q&As}

HCIP-WLAN-CEWA V1.0

Pass Huawei H12-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h12-321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following measures are beneficial to guide wireless terminals to preferentially associate 5G bands?

- A. 5G radio configuration transmission power is higher than 2.4G 3-8dB
- B. For the terminal to send a probe request to probe the AP, the AP preferentially responds to the probe on the 5G, and responds to the probe on the 2.4G after responding several times on the 5G.
- C. If the terminal initiates association with the 2.4G radio, the AP refuses to associate, and the association is allowed only after the number of rejections reaches a certain threshold. For the association on the 5G radio, the AP immediately allows the association.
- D. Configure the rate of the beacon on the 5G to be higher than the 2.4G radio. The beacon period is greater than the 2.4G radio. The number of probe retransmissions is less than 2.4G.

Correct Answer: ABC

QUESTION 2

Which statements about the MP on a Mesh network are TRUE? (Multiple Choice)

- A. An MP is also called Mesh gateway.
- B. An MP provides the Portal function and allows internal nodes to communicate with external networks.
- C. An MP supports automatic topology discovery, automatic route discovery, and data packet forwarding.
- D. An MP can provide both Mesh service and user access.

Correct Answer: CD

QUESTION 3

Which of the following access authentication methods does the Agile Controller support? (Multiple Choice)

- A. 802.lx authentication
- B. Portal authentication
- C. MAC address authentication
- D. RADIUS authentication

Correct Answer: ABC

QUESTION 4

On a WLAN with the WIDS function enabled, APs with the following MAC addresses are detected:

01-01-22-22-33-33

02-01-01-22-33-33

02-01-01-22-33-34

02-01-22-01-01-22

OUI 01-01-22 has been added to the whitelist.

Which of these APs will be identified as rogue APs? (Multiple Choice)

A. 01-01-22-22-33-33

B. 02-01-01-22-33-33

C. 02-01-01-22-33-34

D. 02-01-22-01-01-22

Correct Answer: BCD

QUESTION 5

Directory servers are usually deployed on large-scale WLANs. What is the main function of directory servers?

A. To provide database resource indexes for users.

B. To provide mail management services for users.

C. To provide server cluster management services for large-scale networks.

D. To provide user information for the authentication server.

Correct Answer: D

[H12-321 VCE Dumps](#)

[H12-321 Practice Test](#)

[H12-321 Study Guide](#)