

H12-322^{Q&As}

HCIP-WLAN-POEW V1.0

Pass Huawei H12-322 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h12-322.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In an outdoor WLAN deployment scenario, the channel design must consider the interference of the radar channel.

- A. True
- B. False

Correct Answer: A

QUESTION 2

Which of the following options are the principles for engineers to deploy APs?

- A. Minimize the number of signals passing through obstacles
- B. Ensure that the AP is facing the target area
- C. Try to install in a shelter
- D. AP is placed away from interference sources

Correct Answer: ABD

QUESTION 3

Which of the following factors should be considered when using an outdoor AP for WLAN outdoor network planning?

- A. EIRP
- B. Antenna hanging high
- C. Access number and bandwidth
- D. Is it necessary to waterproof

Correct Answer: ABC

QUESTION 4

The user traffic of an enterprise WLAN is not very large, and there is no traffic bottleneck in the network. For WLAN security, the customer wants to manage it in a unified manner. For WLAN data, which of the following networking methods can customers choose?

- A. AC bystander data is directly forwarded
- B. AC bypass data tunnel forwarding
- C. Direct forwarding of Layer 3 networking data

D. Layer 2 networking data direct forwarding

Correct Answer: B

QUESTION 5

A WLAN engineer uses the WLAN Tester 2.0 tool for surveying. In order to quickly understand the coverage of the live signal, the following operations are correct.

A. When viewing the survey, directly view the Wi-Fi signal scan box.

B. Reduce the current drawing scale

C. Before the survey, first add the AP group to speed up the simulation.

D. Modify the global configuration parameters to simulate the data processing granularity to the maximum value, speed up the simulation speed

Correct Answer: ACD

[H12-322 PDF Dumps](#)

[H12-322 VCE Dumps](#)

[H12-322 Braindumps](#)