H12-831^Q&As

HCIP-Datacom-Advanced Routing & Switching Technology V1.0

Pass Huawei H12-831 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/h12-831.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

As shown in the figure, OSPF is deployed in a campus, and Area 1 is deployed as an NSSA area. In the case of missing header, R2 will automatically generate a missing header route of Type 7 LSA and flood it in the NSSA area.

A. True

B. False

Correct Answer: A

QUESTION 2

According to this diagram, can we break the A. system-IDforee8c.a0c2.baf2The device\\' whose type isLevel-1

Database information for					
Unk State Database					
tSPID	SeqNum	Checksu	Hotdtimc	LFngrh	ATT/P/OL
_a0c2-baf2 00-00	goooooog	Ox4c4^l	1115G	*B3*	1/Q/O
ee8c aOc2 buaf2 02-	OкOOOC	0x2*3	ais	5*	o/o/o
Le«8c-aOc2.bafaXM>-00	OxOOOO	0x462f	1187	83	/OA>

_a0c2-baf2 00-00	qoooooooq	Ox4c4^l	1115G	B3	1/Q/O
ee8c aOc2 buaf202-	ОкОООС	0x2*3	ais	5*	o/o/o
I e«8c-aOc2 bafaXM>-00	OxOOOO	0x462f	1187	83	/OA>
K.o&c 3*0^-OO,	0x000000	0x2e^7	10B2	54	
	0x000000	Ox843fS	10S3	103	

B. system-IDforee8c.a0c2.baf2device whose type isLevel-1-2

C. R4belong only toLevel-1

D. R4dry onlyLevel2

Correct Answer: BC

QUESTION 3

According to this picture, we can judge that R4 is on?

```
<R4>display ip routing-table protocol isis

Destination/Mask   Proto    Pre Cost   Flags NextHop      Interface

     0.0.0.0/0      ISIS-L1  15   10     D   10.1.24.1    GigabitEthernet0/0/1

                    ISIS-L1  15   10     D   10.1.34.1    GigabitEthernet0/0/0

  172.16.1.2/32     ISIS-L1  15   10     D   10.1.24.1    GigabitEthernet0/0/1

  172.16.1.3/32     ISIS-L1  15   10     D   10.1.34.1    GigabitEthernet0/0/0

<R4>
```

A. 1 default route

B. 2 equal-cost default routes

C. 2 default routes with different costs

D. 4 equivalent default routes

Correct Answer: B

QUESTION 4

Regarding multi-instance CE (Mlulti-VPN-Instance CE, MCE), which of the following descriptions is wrong?

A. existMCEdevice needs to be differentVPNCreate their own routing table and bind to the correct interface

B. connected to the sameMCEbut not oneVPNInstance users cannot access each other

C. haveMCEfunctional devices can be found inBGPIMPLS IP VPNAccess to multiple applicationsVPNExample, reduce the investment of user network equipment

D. MCEandPEThere must be multiple physical links betweenVPNIsolation between instances

Correct Answer: D

QUESTION 5

The security protection actions that a secure MAC address can perform does not include which of the following?

A. Protect

B. Restrict

C. Shutdown

D. Remark

Correct Answer: D

[Latest H12-831 Dumps](https://www.pass2lead.com)   [H12-831 Practice Test](https://www.pass2lead.com)   [H12-831 Braindumps](https://www.pass2lead.com)