

H12-891^{Q&As}

HCIE-Datacom V1.0

Pass Huawei H12-891 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h12-891.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

There is no routing protocol running on the router HW and only one default route reaches the remote network. On the router job with the extension Ping remote file server address 105401. The result of Ping on the router job is presented as "Request time." out"? Based on the above description, the error in the following analysis is ?

- A. Router HW\\'s next hop router does not have a path to the destination address
- B. Ping is successful, but congestion occurs on the path to the destination address
- C. ICMP packets can reach the destination address But the destination device failed to reply
- D. Router HW does not have a legitimate route to the destination address
- E. There is a firewall in the remote destination network, and no ICMP traffic is allowed

Correct Answer: A

QUESTION 2

The role of Link-LSA in OSPFv3 does not include ?

- A. Advertise to other routers on the link optional that is set in the Network LSA from which this link originates
- B. Advertise the per-port ID of this router to other routers on the link
- C. Advertise the link-local address
- D. of this interface to other routers on the link Advertise this IPv6 prefix list to other routers on the link

Correct Answer: A

QUESTION 3

The HW appliance network administrator plans to migrate IGMPv2 in the multicast network to IGMPV3 Where does IGMPV3 improve over IGMPv2?

- A. IGMPv3 adds the ability for hosts to specify multicast groups that do not join a specific multicast source
- B. IGMPv3 adds the ability for hosts to specify multicast groups that are joined to a specific multicast source
- C. IGMPv3 adds Request-to-send and Clear-to-send between source and local IGMP queries
- D. IGMPv3 removes the Report-suppression feature for membership reporting
- E. IGMPv3 removes the ability to include all sources in a wildcard group

Correct Answer: ABD

QUESTION 4

Regarding the description of the BGP neighbor, the error is:

- A. BGP routers that support autodiscovery neighbors
- B. BGP establishing neighbors must be configured with MD5 authentication
- C. BGP needs to establish a UDP connection before establishing a neighbor
- D. BGP to establish a neighbor relationship needs to first interact with the link state information

Correct Answer: ABCD

QUESTION 5

In an HW MPLS network, what parameters are used to define a forwarding equivalent class??

- A. BGP MED ?
- B. IP prefix
- C. RSVP requests resource reservation
- D. from CE Layer 2 links

Correct Answer: BD

[H12-891 PDF Dumps](#)

[H12-891 VCE Dumps](#)

[H12-891 Brindumps](#)