

H13-622^{Q&As}

HCNP-Storage-CBDS (Constructing Big Data Storage)

Pass Huawei H13-622 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h13-622.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following storage units are used by an N8500 clustered NAS system? (Select three)

- A. S2200T
- B. S2600T
- C. S5500T
- D. S6800T

Correct Answer: BCD

QUESTION 2

Which of the following statements about the high availability daemon (HAD) function of an N8500 clustered NAS system are correct? (Select three.)

- A. Each host in the N8500 cluster runs a HAD process.
- B. The hastart command can be executed to enable the had and hashadow services to automatically start.
- C. HAD is used to monitor and manage the statuses of all services on the clustered NAS system.
- D. The clustered system uses hashadow to monitor the HAD process. If HAD becomes abnormal, hashadow can restart HAD.

Correct Answer: ABD

QUESTION 3

You can check VCS cluster logs by viewing the Engine_A.log file in the /var/VRTSvcs/log directory on an N8500 storage system.

- A. True
- B. False

Correct Answer: A

QUESTION 4

A storage cluster has five P36 nodes and adopts 10GE networks at the front back ends. The front-end service network provides two 10GE ports.

When distributed file system service and object storage service are both deployed on nodes, how many IP addresses should be planned for the front-end service network?

- A. 11
- B. 21
- C. 31
- D. 41

Correct Answer: C

QUESTION 5

In the cluster communication architecture employed by an NS500 clustered NAS system, modules such as the resource agent, HAD, GAB, and Low Latency Transport (LLT) must collaborate to implement cluster communication. Which of the following statements about the work mechanisms of these modules are correct? (Select three)

- A. The agent monitors the resources of each system and provides the status information for the HAD of each machine.
- B. If a cluster node is abnormal or faulty, the HAD takes correct actions, for example, performing a failover.
- C. The GAB implements a point-to-point communication mechanism. The master node sends the other cluster nodes the information that needs to be synchronized.
- D. LLT is a MAC-layer protocol unrelated to IP layer.

Correct Answer: ABD

[Latest H13-622 Dumps](#)

[H13-622 VCE Dumps](#)

[H13-622 Braindumps](#)