

H13-624^{Q&As}

HCIP-Storage V5.0

Pass Huawei H13-624 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h13-624.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

During the daily X inspection, engineer C found that the bit error rate of an optical module in the storage is high, and he plans to replace an optical module. Which of the following option is correct ()

- A. Replacing the optical module will not cause the loss of existing data, and there is no need to back up the data before replacement
- B. You need to shut down the storage device before replacing the optical module
- C. Engineer C needs to use a spare part with the same model and version as the faulty optical module
- D. The storage has multiple paths connected to the business host, and the optical module can be replaced at any time

Correct Answer: AC

QUESTION 2

In the VMware environment, the single-choice scenario where VADP cannot be used for backup is: A. Thick Disk

- B. Thin Disk
- C. The storage is directly connected to the virtual machine
- D. VMDK

Correct Answer: C

QUESTION 3

S5752/S5352 switches only support optional AC power modules.

- A. True
- B. False

Correct Answer: A

QUESTION 4

When planning and designing storage solutions, if customers pay attention to the satisfaction of performance, which of the following aspects should be planned and designed ()

- A. Network bandwidth
- B. Hard disk type

C. Number of hard disks

D. RAID level

Correct Answer: AB

QUESTION 5

Multi-select Huawei Oceanstor 9000 During the software installation process, you also need to apply for some temporary IP addresses for the back-end business network. For the description of these temporary IP addresses, the correct one is: (multiple choice)

A. If the cluster has 6 nodes, you need to apply for 6 IP addresses

B. Need to specify which node to use.-An IP address

C. After the software installation is completed, these addresses will be deleted automatically

D. It does not matter if these temporarily planned back-end storage network IP addresses overlap with the actual planned back-end storage network IP addresses of the nodes.

Correct Answer: AB

[H13-624 PDF Dumps](#)

[H13-624 Study Guide](#)

[H13-624 Exam Questions](#)