

# H13-624<sup>Q&As</sup>

HCIP-Storage V5.0

## Pass Huawei H13-624 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h13-624.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

The MDS cluster in DFS provided by OceanStor9000 divides the file system metadata into a tree-like data structure. The storage node only stores a part of the subtree after cutting.

- A. True
- B. False

Correct Answer: A

---

### QUESTION 2

To ensure data reliability, an enterprise established a remote replication pair between the master LUN at site A and the slave LUN at site B. The following In the statement about the data relationship between the Pair status and the master-slave LUN, which options are correct ()

- A. If the link used for remote replication is disconnected or the primary or secondary LUN of remote replication fails, the Pair operating status will be "split"
- B. "When the Pair running status is "Normal", it means that the data of the primary LUN and the secondary LUN are successfully synchronized.
- C. When the Pair status is "synchronizing", the slave LUN cannot be read or written at this time
- D. If the engineer manually disconnects the Pair relationship between the master LUN and the slave LUN, then the Pair running status is "split" and the master LUN Data replication between and from the LUN is suspended

Correct Answer: BCD

---

### QUESTION 3

HyperMetro guarantees the real-time synchronization of data between the storage arrays of the two sites through the cross-site data real-time mirroring function.

The data center array needs to record the write log when it receives the write I/O. Only the address information is recorded in the log, and the specific write data content is not recorded. Use memory space recording with power-down protection capability to obtain good performance.

- A. True
- B. False

Correct Answer: A

---

**QUESTION 4**

Huawei's HypeMetro active-active disaster recovery supports heterogeneous storage, so a single third-party storage certified by Huawei is used to form active-active through HypeMetro.

- A. True
- B. False

Correct Answer: B

---

**QUESTION 5**

During the daily X inspection, engineer C found that the bit error rate of an optical module in the storage is high, and he plans to replace an optical module. Which of the following option is correct ( )

- A. Replacing the optical module will not cause the loss of existing data, and there is no need to back up the data before replacement
- B. You need to shut down the storage device before replacing the optical module
- C. Engineer C needs to use a spare part with the same model and version as the faulty optical module
- D. The storage has multiple paths connected to the business host, and the optical module can be replaced at any time

Correct Answer: AC

[H13-624 Practice Test](#)

[H13-624 Study Guide](#)

[H13-624 Exam Questions](#)