

H31-321^{Q&As}

Huawei Certified Network Professional-MSTP Transmission

Pass Huawei H31-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h31-321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

After the alarm inversion function is enabled, board alarm status, including alarm indicators, will change, and the alarm status data on the NE and on the NMS will be updated accordingly.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 2

What working modes are supported by clocks of an SDH NE?

- A. Synchronizing
- B. Tracing
- C. holdover
- D. Free-run

Correct Answer: BCD

QUESTION 3

You need to plan the MS when gold services exist on an ASON network. Which of the following are true about MS planning?

- A. If only a few gold services exist, upgrade the gold services to diamond services.
- B. The MS should cover all nodes on which gold services are required to be configured. Multiple MSs can be used to cover more nodes on a complex network.
- C. If the gold services take up less than half of the optical path resources, set part of the MS for the gold services, in other words, only part of the VC-4 resources on the MS are allocated for the gold services.
- D. Services should be evenly distributed in an MS. Avoid high bandwidth utilization in certain portion of an MS but low bandwidth utilization in other portion of the MS.

Correct Answer: BCD

QUESTION 4

Which of the following are true about tunnel services?

- A. A tunnel is an ASON service path.

- B. An ASON service and a traditional service can be converted to each other.
- C. Tunnel levels include diamond, gold, silver, or copper.
- D. You do not need to manually create or delete the lower order cross-connections between a line board and a tributary board.
- E. A tunnel cannot be optimized.

Correct Answer: ABC

QUESTION 5

Which of the following functions, when enabled, allows the transmitting laser of an optical port to be automatically shut down when the IN port fails to receive signals?

- A. LCAS
- B. ALS
- C. ALC
- D. LPT

Correct Answer: B

[H31-321 VCE Dumps](#)

[H31-321 Study Guide](#)

[H31-321 Braindumps](#)